

NORTON

SAINT-GOBAIN®

CATALOG #350

PRODUCTS FOR THE
**PROFESSIONAL
HARDWOOD
FLOORING
MARKET**



THE **MUSCLE** BEHIND THE MACHINE®



BELTS

Blaze R975 Cloth	3
Red Heat R955P Cloth	4
BlueFire R831 Cloth	5
Neon R766 Cloth	5
Durite Silicon Carbide R418 Cloth	6

ROLLS

Blaze R975 Cloth	7
Red Heat R955P Cloth & H955 Paper	8
BlueFire R831 Cloth & H831 Paper	8
Neon R766 Cloth & H766 Paper	9
Durite H425 & S413 Paper	9

SHEETS AND BACK-UP PADS

Red Heat Q955 Screen	10
Neon H766 Paper	10
Durite Orbital Paper Sheets	11
Durite Orbital Screens	11
Orbital Non-Woven Back-up Pads	11

EDGER DISCS AND PADS

Red Heat H955 Paper	12
BlueFire H831 Paper	13
Neon H766 Paper	13
Durite H425 & S413 Paper	14
Blaze-X F970 Fiber	14
Red Heat Q955 Screen	15
Screen-Bak Q421 Screen	15
Non-Woven Back-up & Conditioning Pads	15

LARGE DIAMETER DISCS

Durite H425 & S413 Paper	16
Neon H766 Paper	17
Red Heat H955P Paper	17
Durite Double-Sided H425 & S413 Paper	18
Silicon Carbide H422 & S456 Paper	18

HOOK AND LOOP DISCS

Red Heat H955 Paper	19
BlueFire H831 Paper	20

HOOK AND LOOP ORBITAL DISCS

ProSand Multi-Air Cyclonic	21
Blaze A995 Multi-Air Cyclonic	22

SCREEN DISCS

Red Heat Q955 Screen	23
Durite Q421 Screen	24
Silicon Carbide Q425 Screen	24
Screen Driver Pads	25

BETWEEN COATS

SandDollar Pads	26
Non-Woven Conditioning Pads	27
Aluminum Oxide PSA Sheet Rolls	27
Ceramic Alumina PSA Sheet Rolls	27
Clean & Prep Pads	27
Buffing Pads	28
Rotolo Pre-Cut Foam Sanding Pads	28

ACCESSORIES

Floor Finish Applicators	29
Hand Scraper / Sharpener Kit	30
Pro Game Line Tape	30
Premium Grade Clean Release Tape	30
Plastic Sheeting	30
Epoxy/Kit/Gun/Nozzles	31
Microfiber Cloths	31
Disposable Gloves	31
Mechanics Gloves	31

CROSS REFERENCE

Part-to-Page	32
Janka Hardness Scale	35

Mounted to a belt machine for continuous sanding

Used to do the main portion of the floor

Ideal for heavy stock removal

Levelling floors and achieving a very smooth finish

Popular with professional contractors for use on larger jobs



Best choice for the sport floor market

BLAZE R975 CLOTH

- Super-sharp premium ceramic grain cuts fast and delivers unparalleled longevity resulting in less belt changes and more footage per job. Leaves a fine scratch for easier sanding and a better overall finish
- Open coat grain design minimizes loading and provides an aggressive cut to easily sand through multiple layers of tough coatings
- Anti static backing improves dust collection and keeps machines cleaner
- Tough poly-cotton backing is extremely strong and flexible for improved tracking and easy application/installation on drum sanders
- Extremely effective at sanding pre-finished floors



PART #	GRIT	STD. PKG.
7-7/8" x 29-1/2"		
66261150000 5	120	5 / 5
66261150001 2	100	5 / 5
66261150002 9	80	5 / 5
66261150003 6	60	5 / 5
66261150004 3	50	5 / 5
66261150005 0	40	5 / 5
66261150007 4	36	5 / 5
66261150008 1	24	5 / 5
9-7/8" x 29-1/2"		
66261150009 8	120	5 / 5
66261150011 1	100	5 / 5
66261150012 8	80	5 / 5
66261150013 5	60	5 / 5
66261150014 2	50	5 / 5
66261150016 6	40	5 / 5
66261150017 3	36	5 / 5
66261150018 0	24	5 / 5

PART #	GRIT	STD. PKG.
11-7/8" x 29-1/2"		
66261150019 7	120	5 / 5
66261150020 3	100	5 / 5
66261150021 0	80	5 / 5
66261150022 7	60	5 / 5
66261150023 4	50	5 / 5
66261150024 1	40	5 / 5
66261150025 8	36	5 / 5
66261150026 5	24	5 / 5
11-7/8" x 31-1/2"		
66261150027 2	NS	5 / 10
66261150028 9	100	5 / 5
66261150029 6	80	5 / 5
66261150031 9	60	5 / 5
66261150032 6	50	5 / 5
66261150033 3	40	5 / 5
66261150034 0	36	5 / 5
66261150035 7	24	5 / 5

THE MOST VALUABLE PRODUCT IN THE SPORT FLOOR MARKET

Norton Blaze features a superior ceramic grain that delivers an incredibly sharp cut unrivaled in the sport floor market. The open coat grain coating allows our premium abrasive to cut faster and more aggressively, giving it the unique ability to remove multiple layers of coatings quickly and without issue. The anti-static poly-cotton backing is extremely durable and outstanding for dust control and containment for a cleaner workspace for you and your customer.

Designed specifically for the toughest sanding applications, Norton Blaze tackles gym floor re-sands with ease and is proven to cut through UV-cured pre-finished floors in one pass. When you're racing against the clock to get the job done, put Norton Blaze in your starting lineup.

Best choice for smoothest finish



RED HEAT R955P CLOTH

- Provide significant increase in square foot coverage, sanding anywhere from 1,000 - 3,000 square feet
- Provide a cut so aggressive you can flatten the floor using one or two grits finer than any other belt
- Cut through A/O pre-finished flooring with ease and minimal belt consumption

PART #	GRIT	STD. PKG.
7-7/8" x 29-1/2"		
699573 45027 7	120	5 / 5
699573 45028 4	100	5 / 5
699573 45029 1	80	5 / 5
699573 45030 7	60	5 / 5
699573 45031 4	50	5 / 5
699573 45032 1	40	5 / 5
699573 45033 8	36	5 / 5
699573 45034 5	24	5 / 5
7-7/8" x 33"		
662610 40691 9 <i>FT</i>	100	5 / 5
662610 40692 6 <i>FT</i>	80	5 / 5
662610 40693 3 <i>FT</i>	60	5 / 5
662610 40694 0 <i>FT</i>	50	5 / 5
662610 40695 7 <i>FT</i>	40	5 / 5
662610 40696 4 <i>FT</i>	36	5 / 5
662610 40697 1 <i>FT</i>	24	5 / 5
8" x 19"		
636425 95807 9 <i>NS</i>	120	5 / 10
076607 68084 6	100	5 / 5
076607 68085 3	80	5 / 5
076607 68086 0	60	5 / 5
636425 95803 1 <i>NS</i>	50	5 / 10
636425 95802 4 <i>NS</i>	40	5 / 10
076607 68087 7	36	5 / 5
076607 68088 4	24	5 / 5


PART #	GRIT	STD. PKG.
9-7/8" x 29-1/2"		
699573 46299 7 <i>FT</i>	120	5 / 5
699573 46298 0	100	5 / 5
699573 46297 3	80	5 / 5
699573 46296 6	60	5 / 5
699573 46295 9	50	5 / 5
699573 46294 2	40	5 / 5
699573 46293 5	36	5 / 5
699573 46292 8 <i>NS</i>	24	5 / 10
11-7/8" x 21-11/16"		
699573 92506 5 <i>NS</i>	100	5 / 10
699573 92505 8 <i>NS</i>	80	5 / 10
699573 92504 1 <i>NS</i>	60	5 / 10
699573 92503 4 <i>NS</i>	50	5 / 10
699573 92502 7 <i>NS</i>	40	5 / 10
699573 92501 0 <i>NS</i>	36	5 / 10
699573 92500 3 <i>NS</i>	24	5 / 10
11-7/8" x 29-1/2"		
699573 45035 2 <i>FT</i>	120	5 / 5
699573 45036 9	100	5 / 5
699573 45037 6	80	5 / 5
699573 45038 3	60	5 / 5
699573 45039 0	50	5 / 5
699573 45040 6	40	5 / 5
699573 45041 3	36	5 / 5
699573 45042 0 <i>NS</i>	24	5 / 10

PART #	GRIT	STD. PKG.
11-7/8" x 31-1/2"		
636425 92878 2 <i>FT</i>	120	5 / 10
636425 92879 9	100	5 / 5
636425 92880 5	80	5 / 5
636425 92881 2	60	5 / 5
636425 92882 9	50	5 / 5
636425 92883 6	40	5 / 5
636425 92884 3	36	5 / 5
636425 92885 0	24	5 / 5

FT FastTrack Item *NS* Non-Stock Item

UNLEASH THE HEAT!

100% patented SG (Seeded Gel) ceramic alumina abrasive for longest life, fastest cut and more consistent finish. Tough X-weight cotton cloth backing is extremely flexible and shock absorbent for extreme conditions. No risk of color transfer with assured color consistency. Ideal for larger jobs and harder A/O finishes.



TECH TIP

When sanding pre-finished floors, common sense would say to start by using the coarsest grit available to sand off a very tough coating. In reality, the opposite is true. By starting with a coarse grit, you will get decreased product life and performance.

The proper sanding technique for pre-finished floors involves sanding the floor first with a finer grit, usually 80 grit. Sand the finish lightly with 80 grit, just to scratch the surface. Then come back with a coarser grit, usually 40 or 50 grit is coarse enough to remove the finish. Using this technique will greatly increase product life and cut rate. This technique works for the edger as well as the belt sander.

Better choice for fast cut on hard wood species

BLUEFIRE R831 CLOTH

- Next generation of patented, premium, self-sharpening, 100% zirconia alumina abrasive for longer life, faster cut and outstanding durability
- The anti-static technology increases dust collection efficiency for a cleaner working environment
- The improved resin bond ensures grain retention under the most demanding applications
- The consistent scratch pattern means the finest finish of the floor



PART #	GRIT	STD. PKG.
7-7/8" x 29-1/2"		
66623319968 5	120	10 / 10
66623319969 2	100	10 / 10
66623319970 8	80	10 / 10
66623319971 5	60	10 / 10
66623319972 2	50	10 / 10
66623319973 9	40	10 / 10
66623319975 3	36	10 / 10
66623319974 6	24	10 / 10
7-7/8" x 33"		
66623319976 0 <i>FT</i>	120	10 / 10
66623319977 6	100	10 / 10
66623319978 4	80	10 / 10
66623319979 1	60	10 / 10
66623319980 7	50	10 / 10
66623319981 4 <i>FT</i>	40	10 / 20
66623319983 8 <i>FT</i>	36	10 / 20
66623319982 1 <i>FT</i>	24	10 / 10

PART #	GRIT	STD. PKG.
9-7/8" x 29-1/2"		
66623319960 9 <i>FT</i>	120	10 / 10
66623319961 6	100	10 / 10
66623319962 3	80	10 / 10
66623319963 0	60	10 / 10
66623319964 7	50	10 / 10
66623319965 4	40	10 / 10
66623319967 8	36	10 / 10
66623319966 1 <i>FT</i>	24	10 / 10
11-7/8" x 29-1/2"		
66623319944 9 <i>FT</i>	120	10 / 10
66623319945 6	100	10 / 10
66623319946 3	80	10 / 10
66623319947 0	60	10 / 10
66623319948 7	50	10 / 10
66623319949 4	40	10 / 10
66623319951 7	36	10 / 10
66623319950 0 <i>FT</i>	24	10 / 10

PART #	GRIT	STD. PKG.
11-7/8" x 31-1/2"		
66623374202 7 <i>FT</i>	120	10 / 10
66623374203 4 <i>FT</i>	100	10 / 10
66623374205 8 <i>FT</i>	80	10 / 10
66623374206 5 <i>FT</i>	60	10 / 10
66623374208 9 <i>FT</i>	50	10 / 10
66623374209 6 <i>FT</i>	40	10 / 10
66623374210 2 <i>FT</i>	36	10 / 10
66623374211 9 <i>FT</i>	24	10 / 10


FT FastTrack Item

*Additional Sizes Available as Non-Stock:
7-7/8" x 21-11/16" and 11-7/8" x 21-11/16"*

Good choice when value and performance are key

NEON R766 CLOTH

- Designed with durability and quality in mind at an economical price, Norton Neon floor sanding belts are the ideal choice for any general floor sanding job
- From exotic to domestic hardwood, Norton Neon provides quality results at a great price
- If performance, versatility and value are key, all signs point to Norton Neon



PART #	GRIT	STD. PKG.
7-7/8" x 29-1/2" (R766)		
63642524645 6	120	10 / 10
77696036429 1	100	10 / 10
66623372284 5	80	10 / 10
66623372283 8	60	10 / 10
66623372282 1	50	10 / 10
66623372281 4	40	10 / 10
66623372280 7	36	10 / 10
66623372279 1	24	10 / 10
9-7/8" x 29-1/2" (R766)		
63642574601 0 <i>FT</i>	120	10 / 10
63642574600 3	100	10 / 10
63642574604 1	80	10 / 10
63642574605 8	60	10 / 10
63642574606 5 <i>NS</i>	50	10 / 10
63642574607 2	40	10 / 10
63642574608 9	36	10 / 10
63642574609 6	24	10 / 10

PART #	GRIT	STD. PKG.
11-7/8" x 21-11/16" (R766)		
63642577635 2 <i>NS</i>	120	10 / 10
63642577636 9 <i>NS</i>	100	10 / 10
63642577637 6 <i>NS</i>	80	10 / 10
63642577638 3 <i>NS</i>	60	10 / 10
63642577639 0 <i>NS</i>	50	10 / 10
63642577640 6 <i>NS</i>	40	10 / 10
63642577641 3 <i>NS</i>	36	10 / 10
63642577642 0 <i>NS</i>	24	10 / 10
11-7/8" x 29-1/2" (R766)		
63642574602 7 <i>FT</i>	120	10 / 10
63642574603 4 <i>FT</i>	100	10 / 10
66623377653 4 <i>FT</i>	80	10 / 10
66623377651 0 <i>FT</i>	60	10 / 10
66623377650 3 <i>FT</i>	50	10 / 10
66623377649 7 <i>FT</i>	40	10 / 10
66623377648 0 <i>FT</i>	36	10 / 10
66623377647 3 <i>FT</i>	24	10 / 10

PART #	GRIT	STD. PKG.
11-7/8" x 31-1/2" (R766)		
63642577643 7 <i>FT</i>	120	10 / 10
63642577644 4 <i>FT</i>	100	10 / 10
66623377661 9 <i>FT</i>	80	10 / 10
66623377660 2 <i>FT</i>	60	10 / 10
66623377658 9 <i>FT</i>	50	10 / 10
66623377657 2 <i>FT</i>	40	10 / 10
66623377656 5 <i>FT</i>	36	10 / 10
66623377654 1 <i>FT</i>	24	10 / 10

FT FastTrack Item NS Non-Stock Item

*Additional Size Available as Non-Stock:
7-7/8" x 21-11/16"*



Good choice for heavy stock removal

DURITE SILICON CARBIDE R418 CLOTH

- Heavy Y-weight backing for extremely difficult applications
- Extra coarse grit silicon carbide grain provides significant stock removal

PART #	GRIT	STD. PKG.
7-7/8" x 29-1/2"		
78072769536 8	16	10 / 10
8" x 19"		
78072772102 9 <i>NS</i>	16	10 / 20
9-7/8" x 29-1/2"		
78072772053 4 <i>NS</i>	16	10 / 10

PART #	GRIT	STD. PKG.
11-7/8" x 29-1/2"		
78072772104 3 <i>NS</i>	16	10 / 10
11-1/2" x 31-1/2"		
78072772105 0 <i>NS</i>	16	10 / 10

NS Non-Stock Item

GET ON THE WINNING TRACK!

The Norton Fast Track Belt Service

FastTrack is a special order service for sanding belts. Items are identified as FastTrack in the catalog by FT following the part number. Orders for all FT and NS items can be placed on regular stock orders submitted through Customer Service.

2-Day Manufacturing Lead Time

ORDER REQUIREMENTS:

- Minimum order qty: 1 case per order
- Maximum order qty: 2 cases per order

NOTE: Standard manufacturing leeway of 10% ±.



Used to do the main portion of the floor

A pre-cut roll cover is cut to spec and mechanically applied to a rubber drum

Rolls are preferred for their ease of storing and carrying over pre-cut sheets

Rolls are generally used for larger jobs

Commonly used in the rental trade due to its lower cost vs. belt sanders



Best choice for the sport floor market

BLAZE R975 CLOTH

- Super-sharp premium ceramic grain cuts fast and delivers unparalleled longevity resulting in less belt changes and more footage per job. Leaves a fine scratch for easier sanding and a better overall finish
- Open coat grain design minimizes loading and provides an aggressive cut to easily sand through multiple layers of tough coatings
- Anti static backing improves dust collection and keeps machines cleaner
- Tough poly-cotton backing is extremely strong and flexible for improved tracking and easy application/installation on drum sanders
- Extremely effective at sanding pre-finished floors



PART #	GRIT	STD. PKG.
R975 Cloth		
8" x 25 yards (R975)		
662611 50037 1	120	1 / 1
662611 50040 1	60	1 / 1
662611 50041 8	50	1 / 1
662611 50043 2	40	1 / 1
662611 50044 9	36	1 / 1
662611 50045 6 <i>NS</i>	24	1 / 5
12" x 25 yards (R975)		
662611 50046 3	120	1 / 1
662611 50047 0	100	1 / 1
662611 50048 7	80	1 / 1
662611 50049 4	60	1 / 1
662611 50050 0	50	1 / 1
662611 50051 7	40	1 / 1
662611 50052 4	36	1 / 1
662611 50053 1	24	1 / 1

NS Non-Stock Item

THE MOST VALUABLE PRODUCT IN THE SPORT FLOOR MARKET

Norton Blaze features a superior ceramic grain that delivers an incredibly sharp cut unrivaled in the sport floor market. The open coat grain coating allows our premium abrasive to cut faster and more aggressively, giving it the unique ability to remove multiple layers of coatings quickly and without issue. The anti-static poly-cotton backing is extremely durable and outstanding for dust control and containment for a cleaner workspace for you and your customer.

Designed specifically for the toughest sanding applications, Norton Blaze tackles gym floor re-sands with ease and is proven to cut through UV-cured pre-finished floors in one pass. When you're racing against the clock to get the job done, put Norton Blaze in your starting lineup.



Best choice for overall smoothest finish

RED HEAT R955P CLOTH & H955 PAPER

- 100% patented ceramic alumina (SG) abrasive for longest life, fastest cut and more consistent finish
- Ultra tough Y-weight backing is extremely flexible and shock absorbent
- No risk of color transfer with assured color consistency. Ideal for larger jobs and harder A/O finishes

PART #	GRIT	STD. PKG.
R955 Cloth		
8" x 25 yards (R955P)		
66261183283 0 <i>NS</i>	120	1 / 5
66261183284 7	100	1 / 1
66261183285 4	80	1 / 1
66261183286 1	60	1 / 1
66261183287 8	50	1 / 1
66261183288 5	40	1 / 1
66261183289 2	36	1 / 1
66261183290 8 <i>NS</i>	24	1 / 5
12" x 25 yards (R955P)		
66261183291 5 <i>NS</i>	120	1 / 3
66261183292 2	100	1 / 1
66261183293 9	80	1 / 1
66261183294 6	60	1 / 1
66261183295 3	50	1 / 1
66261183296 0	40	1 / 1
66261183297 7	36	1 / 1
66261183298 4	24	1 / 1

PART #	GRIT	STD. PKG.
H955 Paper		
8" x 25 yards (H955)		
66623305450 2 <i>NS</i>	100	1 / 5
66623305451 9	80	1 / 1
66623305452 7	60	1 / 1
66623305453 3	50	1 / 1
66623305454 0	40	1 / 1
66623305455 7	36	1 / 1
66623305456 4	24	1 / 1
8" x 50 yards (H955)		
66261055940 4 <i>NS</i>	120	1 / 6
66261055939 0 <i>NS</i>	100	1 / 6
66261055938 4 <i>NS</i>	80	1 / 6
66261055937 7 <i>NS</i>	60	1 / 6
66261055936 0 <i>NS</i>	50	1 / 6
66261055935 3 <i>NS</i>	40	1 / 6
66261055934 6 <i>NS</i>	36	1 / 6

PART #	GRIT	STD. PKG.
H955 Paper (continued)		
12" x 50 yards (H955)		
66261055948 6 <i>NS</i>	120	1 / 3
66261055947 9 <i>NS</i>	100	1 / 3
66261055946 2 <i>NS</i>	80	1 / 3
66261055945 5 <i>NS</i>	60	1 / 3
66261055944 8 <i>NS</i>	50	1 / 3
66261055943 1 <i>NS</i>	40	1 / 3
66261055942 4 <i>NS</i>	36	1 / 3
66261055941 7 <i>NS</i>	24	1 / 3

NS Non-Stock Item



Better choice for fast cut on hard wood species

BLUEFIRE R831 CLOTH & H831 PAPER

- Proprietary patented grain technology produces one of the finest scratch patterns in the industry for a better looking finish
- Self-sharpening zirconia alumina abrasive provides improved life and cut rate that outlasts conventional zirconia 2 to 1
- Improved resin bond ensures grain retention and provides an aggressive cut on demanding applications

PART #	GRIT	STD. PKG.
R831 Cloth		
8" x 25 yards (R831)		
66623319992 0 <i>NS</i>	120	1 / 5
66623319993 7	100	1 / 1
66623319994 4	80	1 / 1
66623319995 1	60	1 / 1
66623319996 8	50	1 / 1
66623319997 5	40	1 / 1
66623319998 2	36	1 / 1
66623319999 9	24	1 / 1
12" x 25 yards (R831)		
66623319985 2	100	1 / 1
66623319986 9	80	1 / 1
66623319987 6	60	1 / 1
66623319988 3	50	1 / 1
66623319989 0	40	1 / 1
66623319990 6	36	1 / 1
66623319991 3	24	1 / 1

PART #	GRIT	STD. PKG.
H831 Paper		
8" x 25 yards (H831)		
66623319896 1 <i>NS</i>	120	1 / 5
66623319897 8	100	1 / 1
66623319898 5	80	1 / 1
66623319899 2	60	1 / 1
66623319901 2	40	1 / 1
66623319902 9	36	1 / 1
66623319903 6 <i>NS</i>	24	1 / 5
8" x 50 yards (H831)		
66623374264 5 <i>NS</i>	120	1 / 5
66623374268 3 <i>NS</i>	100	1 / 5
66623374269 0	80	1 / 1
66623374271 3	60	1 / 1
66623374272 0 <i>NS</i>	50	1 / 5
66623374273 7	40	1 / 1
66623374274 4	36	1 / 1
66623374270 6 <i>NS</i>	24	1 / 5

PART #	GRIT	STD. PKG.
H831 Paper (continued)		
12" x 25 yards (H831)		
66623319888 6 <i>NS</i>	120	1 / 3
66623319889 3 <i>NS</i>	100	1 / 3
66623319890 9 <i>NS</i>	80	1 / 3
66623319891 6 <i>NS</i>	60	1 / 3
66623319892 3 <i>NS</i>	50	1 / 3
66623319893 0 <i>NS</i>	40	1 / 3
66623319894 7 <i>NS</i>	36	1 / 3
66623319895 4 <i>NS</i>	24	1 / 3
12" x 50 yards (H831)		
66623374275 1 <i>NS</i>	120	1 / 3
66623374223 2 <i>NS</i>	100	1 / 3
66623374277 5 <i>NS</i>	80	1 / 3
66623374278 2	60	1 / 1
66623374279 9	50	1 / 1
66623374280 5 <i>NS</i>	40	1 / 3
66623374281 2	36	1 / 1
66623374282 9	24	1 / 1

NS Non-Stock Item



Good choice when value and performance are key

NEON R766 CLOTH & H766 PAPER

- Designed with durability and quality in mind at an economical price, Norton Neon floor sanding rolls are the ideal choice for any general floor sanding job
- From exotic to domestic hardwood, Norton Neon provides quality results at a great price

PART #	GRIT	STD. PKG.
R766 Cloth		
8" x 25 yards (R766)		
636425 74610 2 <i>NS</i>	120	1 / 5
776960 69570 8 <i>NS</i>	100	1 / 5
776960 69569 2 <i>NS</i>	80	1 / 5
776960 69568 5 <i>NS</i>	60	1 / 5
776960 69567 8 <i>NS</i>	50	1 / 5
776960 69566 1 <i>NS</i>	40	1 / 5
776960 69565 4 <i>NS</i>	36	1 / 5
776960 69564 7 <i>NS</i>	24	1 / 5
12" x 25 yards (R766)		
636425 74611 9 <i>NS</i>	120	1 / 3
636425 74612 6 <i>NS</i>	100	1 / 3
636425 74613 3 <i>NS</i>	80	1 / 3
636425 74614 0 <i>NS</i>	60	1 / 3
636425 74615 7 <i>NS</i>	50	1 / 3
636425 74616 4 <i>NS</i>	40	1 / 3
636425 74617 1 <i>NS</i>	36	1 / 3
636425 74618 8 <i>NS</i>	24	1 / 3

PART #	GRIT	STD. PKG.
H766 Paper		
8" x 50 yards (H766)		
662611 70593 6	120	1 / 1
662611 70594 3	100	1 / 1
662611 70595 0	80	1 / 1
662611 70596 7	60	1 / 1
662611 70597 4	50	1 / 1
662611 70598 1	40	1 / 1
662611 70599 8	36	1 / 1
699573 65435 4 <i>NS</i>	30	1 / 5
662611 70600 1	24	1 / 1

PART #	GRIT	STD. PKG.
H766 Paper (continued)		
12" x 50 yards (H766)		
662611 70601 8	120	1 / 1
662611 70602 5	100	1 / 1
662611 70603 2	80	1 / 1
662611 70604 9	60	1 / 1
662611 70605 6	50	1 / 1
662611 70606 3	40	1 / 1
662611 70607 0	36	1 / 1
699573 68456 1 <i>NS</i>	30	1 / 3
662611 70608 7	24	1 / 1

NS Non-Stock Item



Good choice for quality and consistency

DURITE H425 & S413 PAPER

- 100% silicon carbide abrasive with heavy E, F and combination paper backings for quality cut and strength on the job
- Traditional abrasive grain provides value and consistent performance at a competitive price

PART #	GRIT	STD. PKG.
8" x 7.5 yards (270")		
662611 123412 2 <i>NS</i>	120	3 / 3
662611 147150 3	100	3 / 3
662611 15629 5	80	3 / 3
662611 15600 4	60	3 / 3
662611 15627 1	40	3 / 3
662611 12748 6	36	3 / 3
662611 102431 0 <i>NS</i>	30	3 / 3
662611 13270 1	20	3 / 3

NS Non-Stock Item

PART #	GRIT	STD. PKG.
8" x 50 yards		
662611 123042 1	120	1 / 1
662611 146880 0	100	1 / 1
662611 146885 5	80	1 / 1
662611 146890 9	60	1 / 1
662611 146895 4	50	1 / 1
662611 146900 5	40	1 / 1
662611 146905 0	36	1 / 1
662611 146910 4	30	1 / 1
662611 146915 9	24	1 / 1
662611 146920 3	20	1 / 1
662611 146925 8	16	1 / 1
662611 146930 2	12	1 / 1

PART #	GRIT	STD. PKG.
12" x 50 yards		
662611 123043 8	120	1 / 1
662611 147010 0	100	1 / 1
662611 147015 5	80	1 / 1
662611 147020 9	60	1 / 1
662611 147025 4	50	1 / 1
662611 147030 8	40	1 / 1
662611 147035 3	36	1 / 1
662611 147040 7	30	1 / 1
662611 147045 2	24	1 / 1
662611 147050 6	20	1 / 1
662611 147055 1	16	1 / 1
662611 13954 0 <i>NS</i>	12	1 / 3

Sheets and Back-Up Pads

Used to do the main portion of the floor

Excellent for sanding both the main area and the perimeter of the floor

Cut specifically to fit existing machines

Offered in PSA and Double-sided for ease of application



Best choice for overall smoothest finish



RED HEAT Q955 SCREEN

- 100% patented SG ceramic grain combined with long life provides a consistent cut and finish over the life of the screen, virtually eliminating the risk of burnishing the wood

PART #	GRIT	STD. PKG.
12" x 18"		
699573 12135 1 <i>NS</i>	220	10 / 20
699573 21935 5 <i>NS</i>	180	10 / 20
662610 44748 6 <i>NS</i>	150	10 / 20
662610 44746 2 <i>NS</i>	120	10 / 20
662610 44745 5 <i>NS</i>	100	10 / 20
662610 44742 4 <i>NS</i>	80	10 / 20

PART #	GRIT	STD. PKG.
14" x 20"		
666233 08395 3 <i>NS</i>	180	10 / 20
662544 76404 8 <i>NS</i>	150	10 / 20
666233 14702 0 <i>NS</i>	120	10 / 20
662544 76403 1 <i>NS</i>	100	10 / 20
666233 14701 3 <i>NS</i>	80	10 / 20

NS Non-Stock Item

Good choice when value and performance are key



NEON H766 PAPER

- Neon sheets are a blend of zirconia alumina and silicon carbide giving a boost both in cut rate and life
- The addition of the heavy weight anti-stat backing allows the Neon product to sand much cleaner than other paper discs

PART #	GRIT	STD. PKG.
8" x 19-1/2" (H766)		
699573 42184 0 <i>NS</i>	120	10 / 50
699573 42185 7 <i>NS</i>	100	10 / 50
699573 42186 4 <i>NS</i>	80	10 / 50
699573 42190 1 <i>NS</i>	60	10 / 50
699573 42192 5 <i>NS</i>	50	10 / 50
699573 42198 7 <i>NS</i>	40	10 / 50
699573 42199 4 <i>NS</i>	36	10 / 50
699573 42206 9 <i>NS</i>	24	10 / 50
8" x 20-3/16" (H766)		
699573 42213 7 <i>NS</i>	120	10 / 100
699573 42214 4 <i>NS</i>	100	10 / 50
699573 42215 1 <i>NS</i>	80	10 / 50
699573 42216 8 <i>NS</i>	60	10 / 50

PART #	GRIT	STD. PKG.
8" x 20-3/16" (H766) (continued)		
699573 42217 5 <i>NS</i>	50	10 / 100
699573 42218 2 <i>NS</i>	40	10 / 50
699573 42219 9 <i>NS</i>	36	10 / 50
699573 42220 5 <i>NS</i>	24	10 / 100
8" x 26-1/8" (H766)		
699573 42221 2 <i>NS</i>	120	10 / 100
699573 42222 9 <i>NS</i>	100	10 / 100
699573 42223 6 <i>NS</i>	80	10 / 100
699573 42224 3 <i>NS</i>	60	10 / 100
699573 42225 0 <i>NS</i>	50	10 / 100
699573 42226 7 <i>NS</i>	40	10 / 100
699573 42227 4 <i>NS</i>	36	10 / 100
699573 42228 1 <i>NS</i>	24	10 / 100

PART #	GRIT	STD. PKG.
12" x 26-7/8" (H766)		
699573 42233 5 <i>NS</i>	120	10 / 100
699573 42234 2 <i>NS</i>	100	10 / 100
699573 42245 8 <i>NS</i>	80	10 / 100
699573 42246 5 <i>NS</i>	60	10 / 100
699573 42247 2 <i>NS</i>	50	10 / 100
699573 42249 6 <i>NS</i>	40	10 / 100
699573 42252 6 <i>NS</i>	36	10 / 100
699573 42254 0 <i>NS</i>	24	10 / 100

NS Non-Stock Item



Good choice for all applications


DURITE ORBITAL PAPER SHEETS

- 100% silicon carbide abrasive coated with abrasive on both sides for twice the life, quick switch, no PSA contamination, increased tear resistance
- Strong E&F weight paper for durability

PART #	GRIT	STD. PKG.
Double-Sided Paper (H425/S413)		
12" x 18"		
662611 43140 8	120	10 / 10
662611 43141 5	100	10 / 10
662611 43142 2	80	10 / 10
662611 43143 9	60	10 / 10
662611 43144 6	40	10 / 10
662611 43145 3	36	10 / 10
662611 49158 1	20	10 / 10

PART #	GRIT	STD. PKG.
PSA Paper (H425/S413)		
12" x 18"		
662611 42832 3	120	20 / 20
662611 22409 3	100	20 / 20
076607 01385 9	80	20 / 20
076607 01386 6	60	20 / 20
076607 01387 3	36	10 / 10
076607 01388 0	20	10 / 10

PART #	GRIT	STD. PKG.
PSA Paper – Economical (H422/S456)		
12" x 18"		
662611 22408 6	80	20 / 20
662611 22407 9	60	20 / 20
662611 22406 2	36	20 / 20
662611 22410 9	20	10 / 10



Good choice for recoats

DURITE ORBITAL SCREENS

- Inter-woven polyester knit backing with abrasive grain on both sides and open mesh for load resistance
- Rinse and reuse for longer sanding life
- Cuts more aggressively than paper or cloth

PART #	GRIT	STD. PKG.
Screen-Bak (Q421)		
12" x 18"		
662611 22411 6	180	10 / 10
076607 02490 9	150	10 / 10
076607 01393 4	120	10 / 10
076607 02489 3	100	10 / 10
662611 22415 4	80	10 / 10
662610 29395 3 <i>NS</i>	60	10 / 40

PART #	GRIT	STD. PKG.
Screen-Bak (Q421)		
14" x 32"		
699573 25881 1 <i>NS</i>	220	10 / 20
699573 25882 8 <i>NS</i>	180	10 / 20
699573 25884 2 <i>NS</i>	150	10 / 20
699573 25885 9 <i>NS</i>	120	10 / 20
699573 25886 6 <i>NS</i>	100	10 / 20
699573 25887 3 <i>NS</i>	80	10 / 20
699573 25888 0 <i>NS</i>	60	10 / 20

NS Non-Stock

PART #	GRIT	STD. PKG.
Screen (Q425)		
14" x 20"		
662544 48365 9 <i>NS</i>	220	10 / 20
662544 48364 2 <i>NS</i>	180	10 / 20
662611 99170 4 <i>NS</i>	150	10 / 10
662611 99169 8 <i>NS</i>	120	10 / 10
662611 99168 1 <i>NS</i>	100	10 / 10
662611 99167 4 <i>NS</i>	80	10 / 10
14" x 28"		
662611 83312 7 <i>NS</i>	220	10 / 20
662611 83311 0 <i>NS</i>	180	10 / 20
662611 83310 3 <i>NS</i>	150	10 / 10
662611 83309 7 <i>NS</i>	120	10 / 10
662611 83308 0 <i>NS</i>	100	10 / 10
662611 83307 3 <i>NS</i>	80	10 / 20
662611 83306 6 <i>NS</i>	60	10 / 20



Good choice for all sheets

ORBITAL NON-WOVEN BACK-UP PADS

- Used in conjunction with the PSA or double sided paper sheets.
- The orbital machine rests on top of the non-woven pad which acts as the driver for the abrasive, cutting softer leaving less of a scratch pattern.
- Choose white (non-abrasive) or red for a general purpose driver pad. Pad only - choose maroon for between coats abrasion and gray for light conditioning.

PART #	COLOR/GRIT	STD. PKG.
12" x 18"		
662610 06547 5	White, Super 54	5 / 5
662610 09217 4	Maroon, Very Fine	10 / 10
662610 09218 1 <i>NS</i>	Gray, Ultra Fine	10 / 10

PART #	COLOR/GRIT	STD. PKG.
12" x 18" (UPC Bar Coded)		
076607 01392 7	White	5 / 5
076607 03846 3	Red	5 / 5

PART #	COLOR/GRIT	STD. PKG.
12" x 24"		
662610 51676 7	White	5 / 5

Used on hand-held edging machines

To sand areas where the drum/belt sander does not reach



Best choice for overall smoothest finish

RED HEAT H955 PAPER

- 100% patented seeded gel (SG) ceramic grain is super sharp for fast coatings removal while providing longer life and less loading.
- Strong F-weight backing resists tearing.
- Produces a finer scratch pattern.

PART #	GRIT	STD. PKG.
6-7/8" x 7/8"		
662610 55950 9	120	25 / 25
662610 55951 6	100	25 / 25
662610 55952 3	80	25 / 25
662610 55953 0	60	25 / 25
662610 55954 7	50	25 / 25
662610 55955 4	40	25 / 25
662610 55956 1	36	25 / 25

PART #	GRIT	STD. PKG.
7" x 5/16"		
662610 55958 5	120	25 / 25
662610 55959 2	100	25 / 25
662610 55960 8	80	25 / 25
662610 55961 5	60	25 / 25
662610 55962 2	50	25 / 25
662610 55963 9	40	25 / 25
662610 55964 6	36	25 / 25
662610 55965 3	24	25 / 25

PART #	GRIT	STD. PKG.
7" x 7/8"		
662610 55966 0	120	25 / 25
662610 40283 6	100	25 / 25
662610 40284 3	80	25 / 25
662610 40285 0	60	25 / 25
662610 55967 7	50	25 / 25
662610 55968 4	40	25 / 25
662610 40286 7	36	25 / 25
662610 55969 1	24	25 / 25

Better choice for fast cut on hard wood species



BLUEFIRE H831 PAPER

- Next generation Zirconia grain is razor sharp for faster cutting and longer life
- Strong F-weight backing resists tearing
- Leaves a fine scratch pattern for less visible sanding marks
- Anti-static technology resists loading and minimizes airborne dust

PART #	GRIT	STD. PKG.
6-7/8" x 7/8"		
66623319920 3	NS	25 / 2000
66623319921 0	100	25 / 25
66623319922 7	80	25 / 25
66623319923 4	60	25 / 25
66623319924 1	50	25 / 25
66623319925 8	40	25 / 25
66623319926 5	36	25 / 25

NS Non-Stock Item

PART #	GRIT	STD. PKG.
7" x 5/16"		
66623319904 3	120	25 / 25
66623319905 0	100	25 / 25
66623319906 7	80	25 / 25
66623319907 4	60	25 / 25
66623319908 1	50	25 / 25
66623319909 8	40	25 / 25
66623319910 4	36	25 / 25
66623319911 1	24	25 / 25

PART #	GRIT	STD. PKG.
7" x 7/8"		
66623319912 8	120	25 / 25
66623319913 5	100	25 / 25
66623319914 2	80	25 / 25
66623319915 9	60	25 / 25
66623319916 6	50	25 / 25
66623319917 3	40	25 / 25
66623319918 0	36	25 / 25
66623319919 7	24	25 / 25

Good choice when value and performance are key



NEON H766 PAPER

- Blend of premium abrasive grains
- Heavy-weight fiber-reinforced backing
- Anti-stat properties providing excellent dust extraction

PART #	GRIT	STD. PKG.
7" x 5/16"		
69957319461 4	120	10 / 100
69957319462 1	100	10 / 100
69957319463 8	80	10 / 100
69957319464 5	60	10 / 100
69957319465 2	50	10 / 100
69957319467 6	40	10 / 50
69957319468 3	36	10 / 50
69957319469 0	24	10 / 50

PART #	GRIT	STD. PKG.
7" x 7/8"		
69957319470 6	120	10 / 100
69957319471 3	100	10 / 100
69957319472 0	80	10 / 100
69957319473 7	60	10 / 100
69957319474 4	50	10 / 100
69957319475 1	40	10 / 50
69957319476 8	36	10 / 50
69957319478 2	24	10 / 50

VALUE AND PERFORMANCE!

The Neon discs are a blend of zirconia alumina and silicon carbide giving it a boost both in cut rate and life. The addition the heavy weight anti-stat backing allows the Neon product to sand much cleaner than other paper discs. We have also offered the Neon Edger discs in 10 packs so you can sell them by the pack or by the full box.





Good choice for quality and consistency

DURITE H425 & S413 PAPER

- 100% silicon carbide abrasive with heavy E, F and combination paper backings for quality cut and strength on the job.
- Traditional abrasive grain provides consistent performance and value at a competitive price.

PART #	GRIT	STD. PKG.
7" x 5/16"		
662611 35063 1	120	100 / 100
662611 35064 8	100	100 / 100
662611 35065 5	80	100 / 100
662611 35066 2	60	100 / 100
662611 35067 9	50	100 / 100
662611 35068 6	40	50 / 50
662611 35069 3	36	50 / 50
662611 35070 9	30	50 / 50
662611 35071 6	24	50 / 50
662611 35072 3	20	50 / 50
662611 35073 0	16	50 / 50
662611 35074 7	12	25 / 25

PART #	GRIT	STD. PKG.
7" x 7/8"		
662611 35075 4	120	100 / 100
662611 35076 1	100	100 / 100
662611 35077 8	80	100 / 100
662611 35078 5	60	100 / 100
662611 35079 2	50	100 / 100
662611 35080 8	40	50 / 50
662611 35081 5	36	50 / 50
662611 35082 2	30	50 / 50
662611 35083 9	24	50 / 50
662611 35084 6	20	50 / 50
662611 35085 3	16	50 / 50
662611 35086 0	12	25 / 25



Best choice for prefinished flooring


BLAZE-X F970 FIBER

- Improved ceramic alumina micro-fracturing grain constantly exposes sharper grain edges to significantly increase cut rate and life
- Heavier fiber backing for additional strength and tear resistance
- Product design is ideal for applications where aggressive cut rate and product life is critical
- Ceramic grain offers super-fine scratch patterns

PART #	GRIT	STD. PKG.
7" x 7/8" (F970)		
699573 70204 8	80	25 / 25
699573 70203 1	60	25 / 25
699573 70202 4	50	25 / 25
699573 70201 7	36	25 / 25

BLAZING THE WAY!

Designed for the most rugged of floor sanding applications, BlazeX fiber discs offer superior cut rates and product life. The stiffer fiber back gives BlazeX an aggressive cut while the ceramic grain gives it a natural super-fine scratch pattern. Whether you are dealing with aluminum oxide coated pre-finished flooring or several layers of hard finish the Norton BlazeX fiber disc will offer the best cut rate and longevity of any product on the market.



Best choice for overall smoothest finish

RED HEAT Q955 SCREEN


- 100% patented SG ceramic grain combined with long life provides a consistent cut and finish over the life of the screen, virtually eliminating the risk of burnishing the wood.

PART #	GRIT	STD. PKG.
5" x 0"		
699573 44606 5 <i>NS</i>	220	20 / 40
699573 44604 1 <i>NS</i>	180	20 / 40
699573 44601 0 <i>NS</i>	150	20 / 40
636425 30594 1 <i>NS</i>	120	20 / 40
636425 30593 4 <i>NS</i>	100	20 / 40
636425 30592 7 <i>NS</i>	80	20 / 40
6" x 0"		
699573 44625 6 <i>NS</i>	220	20 / 40
699573 44620 1 <i>NS</i>	180	20 / 40
699573 44618 8 <i>NS</i>	150	20 / 40
699573 44616 4 <i>NS</i>	120	20 / 40
699573 44615 7 <i>NS</i>	100	20 / 40
699573 44614 0 <i>NS</i>	80	20 / 40

PART #	GRIT	STD. PKG.
7-7/8" x 3/16"		
699573 65332 5 <i>NS</i>	220	40 / 80
662610 81826 2	150	30 / 30
662610 81824 8	120	30 / 30
662610 81822 4	100	30 / 30
662610 81820 0	80	30 / 30

NS Non-Stock Item

PART #	GRIT	STD. PKG.
White SandScreen Driver Pads		
5" x 0"		
699573 45338 4	White	20
6" x 0"		
699573 45342 1	White	20



Good choice for performance and value

SCREEN-BAK Q421 SCREEN

- Inter-woven polyester knit backing with abrasive grain on both sides and open mesh for load resistance.
- Rinse and reuse for longer sanding life.
- Cuts more aggressively than paper or cloth.

PART #	GRIT	STD. PKG.
7-7/8" x 3/16"		
662611 23814 4	180	20 / 20
662611 31731 3	150	20 / 20
662611 31732 0	120	20 / 20
662611 31733 7	100	20 / 20
662611 31734 4	80	20 / 20
662611 31730 6	60	20 / 20

PART #	GRIT	STD. PKG.
7" x 5/16"		
662611 31817 4 <i>NS</i>	120	20 / 40
662611 31818 1	100	20 / 20
662611 31819 8	80	20 / 20
662611 19583 6 <i>NS</i>	60	20 / 120

PART #	GRIT	STD. PKG.
7" x 7/8"		
662611 23046 9 <i>NS</i>	150	20 / 120
662611 13130 8 <i>NS</i>	120	20 / 120
662611 31821 1	100	20 / 20
662611 31822 8	80	20 / 20
662611 07073 7	60	20 / 20

NS Non-Stock Item



The ideal choice for a finer finish

NON-WOVEN BACK-UP & CONDITIONING PADS

- Designed to soften the cut of edger disc
- Offer several types of material that vary in density

PART #	GRIT	STD. PKG.
Maroon		
7" x 5/16"		
662610 31815 1	N/W	40 / 40
7" x 7/8"		
662610 31816 8	N/W	40 / 40
7-7/8" x 3/16" Trio		
662610 07703 4	N/W	40 / 40

NS Non-Stock Item

PART #	GRIT	STD. PKG.
White Driver Pad		
7" x 5/16"		
662544 25418 1	N/W	40 / 40
7" x 7/8"		
662610 23073 6	N/W	40 / 40
White Back-up Pad		
7" x 5/16"		
662610 14022 6 <i>NS</i>	N/W	80 / 80
7" x 7/8"		
662610 02211 9 <i>NS</i>	N/W	100 / 100

TECH TIP

Used with a Conditioning Pad, screens can be an optional step in the edging sequence to provide a much finer finish than a paper disc.



Used for
hard plating

Aggressive cutting
easily blends scratches
from edger and
drum sanders

For final sanding to
prevent dish out of
softer grain

Reduces dish out of
springwood on strip and
plank floors

Ideal for surface prep on
wood and concrete to
remove various residues



Good choice for quality and consistency

DURITE H425 & S413 PAPER

- 100% silicon carbide abrasive with heavy E, F and combination paper backings for quality cut and strength
- Value and consistent performance at a competitive price
- Versatile cut ideal for soft to medium hardness of wood

PART #		GRIT	STD. PKG.
15" x 2"			
662611 31735 1	NS	120	25 / 200
662611 46465 9	NS	100	25 / 200
662611 46470 3	NS	80	25 / 200
662611 04794 4	NS	60	25 / 200
662611 46490 1		36	25 / 25
662611 46505 2	NS	20	25 / 200
662611 46510 6		16	25 / 25
662611 46515 1		12	25 / 25
16" x 2"			
662611 31736 8	NS	120	25 / 200
662611 46585 4		100	25 / 25
662611 46590 8		80	25 / 25
662611 46595 3		60	25 / 25
662611 46600 4		50	25 / 25
662611 46605 9		40	25 / 25
662611 46610 3		36	25 / 25

PART #		GRIT	STD. PKG.
16" x 2" continued			
662611 46615 8		30	25 / 25
662611 01452 6	NS	24	25 / 200
662611 46620 2		20	25 / 25
662611 46625 7		16	25 / 25
662611 46630 1		12	25 / 25
17" x 2"			
662611 31737 5	NS	120	25 / 200
662611 100117 5		100	25 / 25
662611 10792 1		80	25 / 25
662611 100267 7		60	25 / 25
662611 107163 5	NS	50	25 / 100
662611 13134 6	NS	40	25 / 100
662611 100115 1		36	25 / 25
662611 10508 8	NS	24	25 / 100
662611 46680 6		20	25 / 25
662611 100118 2		16	25 / 200
662611 15747 6	NS	12	25 / 200

PART #		GRIT	STD. PKG.
19" x 2"			
662611 03815 7	NS	100	25 / 50
662611 06717 1	NS	80	25 / 50
662611 02001 5	NS	60	25 / 50
662611 13139 1	NS	50	25 / 50
662611 13141 4	NS	40	25 / 50
662611 15764 3	NS	36	25 / 50
662611 46705 6	NS	20	25 / 50
662611 05624 3	NS	16	25 / 100
662611 10401 2	NS	12	25 / 50

NS Non-Stock Item

DURABILITY – THE MARKET STANDARD!

Durite – 100% silicon carbide abrasive with heavy E, F and combination paper backings for quality cut and strength. Value and consistent performance at a competitive price. Ideal for soft to medium hardness of wood.

Good choice when value and performance are key



NEON H766 PAPER

- The Neon discs are a blend of zirconia alumina and silicon carbide giving it a boost both in cut rate and life.
- The addition the heavy weight anti-stat backing allows the Neon product to sand much cleaner than other paper discs.

PART #	GRIT	STD. PKG.
15" x 2"		
699573 42096 6 <i>NS</i>	120	25 / 200
699573 42100 0 <i>NS</i>	100	25 / 200
699573 42101 7 <i>NS</i>	80	25 / 200
699573 42107 9 <i>NS</i>	60	25 / 200
699573 42108 6 <i>NS</i>	50	25 / 200
699573 42109 3 <i>NS</i>	40	25 / 200
699573 42121 5	36	25 / 25
699573 42122 2 <i>NS</i>	30	25 / 200
699573 42123 9 <i>NS</i>	24	25 / 200
16" x 2"		
699573 42124 6	120	25 / 25
699573 42125 3	100	25 / 25
699573 42128 4	80	25 / 25
699573 42129 1	60	25 / 25
699573 42130 7	50	25 / 25
699573 42134 5	40	25 / 25
699573 42135 2	36	25 / 25
699573 42136 9	30	25 / 25
699573 42137 6 <i>NS</i>	24	25 / 200

PART #	GRIT	STD. PKG.
17" x 2"		
699573 42138 3 <i>NS</i>	120	25 / 200
699573 42139 0	100	25 / 25
699573 42140 6	80	25 / 25
699573 42149 9	60	25 / 25
699573 42153 6 <i>NS</i>	50	25 / 200
699573 42155 0 <i>NS</i>	40	25 / 200
699573 42161 1	36	25 / 25
699573 42167 3 <i>NS</i>	30	25 / 200
699573 42168 0 <i>NS</i>	24	25 / 200

PART #	GRIT	STD. PKG.
19" x 2"		
699573 42169 7 <i>NS</i>	120	25 / 50
699573 42174 1 <i>NS</i>	100	25 / 50
699573 42175 8 <i>NS</i>	80	25 / 50
699573 42176 5 <i>NS</i>	60	25 / 50
699573 42177 2 <i>NS</i>	50	25 / 50
699573 42178 9 <i>NS</i>	40	25 / 50
699573 42180 2 <i>NS</i>	36	25 / 50
699573 42181 9 <i>NS</i>	30	25 / 50
699573 42182 6 <i>NS</i>	24	25 / 50

NS Non-Stock Item

Best choice for overall smoothest finish



RED HEAT H955P PAPER

- 100% patented SG (Seeded Gel) ceramic alumina grain with heavy F-weight backing produces a much finer scratch pattern than typical silicon carbide discs
- Ideal for the hardest wood species
- Best choice for parquet and multi-species floors

PART #	GRIT	STD. PKG.
16" x 2"		
662610 55759 8 <i>NS</i>	120	10 / 40
662610 55760 4	100	10 / 10
662610 55762 8 <i>NS</i>	80	10 / 40
662610 55827 4	60	10 / 10
662610 55828 1	50	10 / 10
662610 55829 8 <i>NS</i>	40	10 / 40
662610 55830 4 <i>NS</i>	36	10 / 40
662610 55831 1	24	10 / 10

NS Non-Stock Item

Additional Sizes Available as Non-Stock:

15" x 2", 16" x 2", 16" x 4", 17" x 2", 19" x 2"
Better Paper and 15" x 2", 17" x 2", 20" x 2"
Good Paper.

Good choice for quality and consistency



DURITE DOUBLE-SIDED H425 & S413 PAPER

- 100% silicon carbide abrasive coated with abrasive on both sides for twice the life, quick switch, no PSA contamination, increased tear resistance.
- Strong E&F weight paper for increased durability.

PART #	GRIT	STD. PKG.
16" Blank Disc		
662611 43128 6	120	10 / 10
662611 43129 3	100	10 / 10
662611 43130 9	80	10 / 10
662611 43131 6	60	10 / 10
662611 43132 3	40	10 / 10
662611 43133 0	36	10 / 10
662611 49150 1	20	10 / 10

PART #	GRIT	STD. PKG.
17" Blank Disc		
662611 49152 5	100	10 / 10
662611 49153 2	80	10 / 10
662611 49154 9	60	10 / 10
662611 49155 6	36	10 / 10

PART #	GRIT	STD. PKG.
20" Blank Disc		
662611 49157 0	80	10 / 10
662611 49059 7 <i>NS</i>	60	10 / 10
662611 49507 3	20	10 / 10


NS Non-Stock Item

TECH TIP

Double-sided discs make hard plating simpler and easier by eliminating the need to mechanically fasten the disc to the bottom of the buffer. When using single sided large discs in hard plating, it is recommended to apply two discs at a time making sure the slots at the center hole of each disc are offset. This will help prevent the disc from prematurely tearing at the center hole.

Always use a screen driver pad with a double sided disc to prevent slippage, and get the flattest surface possible. You can sandwich a screen driver pad between two double sided discs to increase stiffness for an even flatter surface.

Good choice for performance and value



SILICON CARBIDE H422 & S456 PAPER

- 100% silicon carbide abrasive in E-weight and combination backing
- Cost-effective design offers strong performance with outstanding value

PART #	GRIT	STD. PKG.
15" x 2"		
662611 24687 1 <i>NS</i>	100	10 / 40
662611 24686 6 <i>NS</i>	80	10 / 40
662611 35872 9 <i>NS</i>	60	10 / 40
662611 24680 4	36	10 / 10
662611 24636 1	20	10 / 10
662611 24671 2 <i>NS</i>	16	10 / 40
662611 35874 3	12	10 / 10
16" x 2"		
662611 24644 6	100	10 / 10
662611 24665 1	80	10 / 10
662611 24659 0	60	10 / 10
662611 24650 7	36	10 / 10
662611 24637 8	20	10 / 10
662611 24672 9	16	10 / 10
662611 28561 2	12	10 / 10

PART #	GRIT	STD. PKG.
17" x 2"		
662611 24679 8	100	10 / 10
662611 24687 3	80	10 / 10
662611 24684 2	60	10 / 10
662611 24682 8 <i>NS</i>	40	10 / 200
662611 24651 4	36	10 / 10
662611 24638 5	20	10 / 10
662611 24673 6	16	10 / 40
662611 36231 3	12	10 / 10

PART #	GRIT	STD. PKG.
20" x 2"		
662611 35735 7 <i>NS</i>	100	10 / 40
662611 35736 4 <i>NS</i>	80	10 / 50
662611 35737 1	60	10 / 10
662611 39519 9 <i>NS</i>	40	10 / 50
662611 35738 8	36	10 / 10
662611 35739 5	20	10 / 10
662611 35740 1 <i>NS</i>	16	10 / 40
662611 35741 8	12	10 / 10

NS Non-Stock Item

Able to flatten typical overwood with 80 grit or finer

Scratches are much finer than any other product for very easy blending



Best choice for overall smoothest finish



RED HEAT H955 PAPER

- 100% patented SG (Seeded Gel) ceramic grain produces much finer scratch pattern than silicon carbide; extremely sharp, fast cutting and 2-3 times the life of silicon carbide; Perfect on harder wood species
- Inter-woven polyester knit backing and increased durability and life
- Full resin bond and excellent grain retention

PART #	GRIT	STD. PKG.
4" x 0" Hook and Loop (H955)		
77696085539 3 NS	120	30 / 60
77696085783 0 NS	100	30 / 60
77696085785 4 NS	80	30 / 60
77696085786 1 NS	60	30 / 60
77696085787 8 NS	50	30 / 60
77696085788 5 NS	40	30 / 60
77696085789 2 NS	36	30 / 60
77696085790 8 NS	24	30 / 60
5" x 0" Hook and Loop (H955)		
66254440813 3	120	50 / 250
66261069004 2	100	50 / 250
66261069003 5	80	50 / 250
66254440811 9	60	50 / 250
66254440810 2	50	50 / 50
66254408866 3	40	50 / 50
66254440809 6	36	50 / 50

PART #	GRIT	STD. PKG.
5-7/8" x 0" Hook and Loop (H955)		
66261078093 4	120	25 / 25
66261078094 4	100	25 / 25
66261078095 1	80	25 / 25
66261078096 8	60	25 / 25
66261078097 5	50	25 / 25
66261078098 2	40	25 / 25
66261078099 9	36	25 / 25
66261078100 6	24	25 / 25
6" x 0" Hook and Loop (H955)		
66261159696 1	P120	40 / 40
66261159697 8	P100	40 / 40
66261159699 2	P80	40 / 40
66261159700 5	P60	40 / 40
66261159701 2	P50	40 / 40
66261159702 9	P40	40 / 40
66261159703 6	P36	40 / 40
66261159704 3	P24	40 / 40


PART #	GRIT	STD. PKG.
7" x 0" Hook and Loop (H955)		
66261078101 6 NS	120	25 / 25
66261078102 3	100	25 / 25
66261078103 0	80	25 / 25
66261078104 7	60	25 / 25
66261078105 4	50	25 / 25
66261078106 1	40	25 / 25
66261078107 8	36	25 / 25
66261078108 5	24	25 / 25
8" x 0" Hook and Loop (H955)		
66261078109 2	120	30 / 30
66261078110 8	100	30 / 30
66261078111 5	80	30 / 30
66261078112 2	60	30 / 30
66261078113 9	50	30 / 30
66261078114 6	40	30 / 30
66261078115 3	36	30 / 30
66261078116 0 NS	24	30 / 120

NS Non-Stock Item

SHIFT INTO HIGH GEAR!

100% patented SG (Seeded Gel) ceramic alumina abrasive for longest life, fastest cut and more consistent finish. Tough F-weight backing is extremely flexible and shock absorbent for extreme conditions. No risk of color transfer with assured color consistency. Ideal for larger jobs and harder A/O finishes.

Better choice for fast cut on hard wood species



BLUEFIRE H831 PAPER

- Next generation of patented, premium, self-sharpening, 100% zirconia alumina abrasive for longer life, faster cut and outstanding durability
- The anti-static technology increases dust collection efficiency for a cleaner working environment
- The improved resin bond ensures grain retention under the most demanding applications
- And, the consistent scratch pattern means the finest finish of the floor


PART #	GRIT	STD. PKG.
5-7/8" x 0		
66623319928 9 <i>NS</i>	120	25 / 400
66623319929 6	100	25 / 100
66623319930 2	80	25 / 100
66623319931 9	60	25 / 100
66623319932 6	50	25 / 100
66623319933 3	40	25 / 100
66623319934 0	36	25 / 100
66623319935 7 <i>NS</i>	24	25 / 400
6" x 0 U-Sand		
66623374353 6	120	25 / 25
66623374354 3	100	25 / 25
66623374355 0	80	25 / 25
66623374356 7	60	25 / 25
66623374357 4	50	25 / 25
66623374358 1	40	25 / 25
66623374359 8	36	25 / 25
66623374360 4	24	25 / 25

PART #	GRIT	STD. PKG.
6"-7/8" x 0" EZ Sand		
66623319936 4 <i>NS</i>	120	25 / 400
66623319937 1	100	25 / 100
66623319938 8	80	25 / 100
66623319939 5	60	25 / 100
66623319940 1	50	25 / 100
66623319941 8	40	25 / 100
66623319942 5	36	25 / 100
7" x 0		
66623374344 4	120	25 / 25
66623374345 1	100	25 / 25
66623374346 8	80	25 / 25
66623374347 5	60	25 / 25
66623374349 9	50	25 / 25
66623374350 5	40	25 / 25
66623374351 2	36	25 / 25
66623374352 9	24	25 / 25

PART #	GRIT	STD. PKG.
8" x 0 Trio		
66623374361 1	120	25 / 100
66623374362 8	100	25 / 100
66623374363 5	80	25 / 100
66623374364 2	60	25 / 100
66623374365 9	50	25 / 100
66623374366 6	40	25 / 100
66623374367 3	36	25 / 100
Conversion Pads		
7" x 5/16"		
66261149716 9		5 / 5
7" x 7/8"		
66261149717 6		5 / 5

NS Non-Stock

TECH TIP



Multi-Disc Machine Guide

DISC SIZE	MACHINE
4" x 0"	Satellite
5" x 0"	Bona Multi Disc, Clarke HydraSand
5-7/8" x 0"	Bona Power Drive
6" x 0"	U-Sand
6-7/8" x 0"	Clarke EZ Sand
8" x 0"	Trio, Clarke 3DS

Edger Disc Machine Guide

DISC SIZE	MACHINE
4" x 0"	Bona Dual Edge
5-7/8" x 0"	Flip, Elan, Bona Mini Edge
7" x 0"	Unico, Bona Edge

Hook and Loop Orbital Discs


Ideal for removing edger marks and sanding stair treads

Orbital discs are used on hand-held machines for final sanding of edges and stair treads



universally DUST FREE!

- Spiral-hole hook & loop vacuum design removes material consistently while maximizing dust extraction for a cleaner work environment
- Features a No-Fil coating to resist clogging/loading during sanding
- Specialized multi-hole pattern allows for use on any random orbital sander regardless of hole pattern – including unique Festool* sander models
- Unique fiber-reinforced latex/paper backing is flexible, strong, and tear-resistant



Best choice for pro results with a power tool

PROSAND MULTI-AIR CYCLONIC

- Premium ceramic alumina abrasive provides superior cut on all surfaces, lasts substantially longer and cuts faster than conventional abrasives and has been open coated to resist clogging and loading during sanding
- Universal multi-hole pattern fits all 5" and 6" random orbital sanders.
- Ideal for tight spots and stair treads.

PART #	GRIT	STD. PKG.
5" x Multi-Hole Hook & Sand		
07660704041 1	P320	50 / 200
07660704038 1	P220	50 / 200
07660704037 4	P180	50 / 200
07660704036 7	P150	50 / 200
07660704035 0	P120	50 / 200
07660704034 3	P100	50 / 200
07660704033 6	P80	50 / 200
66623374368 0	P60	50 / 200
07660768279 6	P40	50 / 200

PART #	GRIT	STD. PKG.
6" x Multi-Hole Hook & Sand		
07660705483 8 <i>NS</i>	P320	50 / 2000
07660705484 5	P220	50 / 200
07660705486 9	P150	50 / 200
07660705487 6	P120	50 / 200
07660705488 3	P100	50 / 200
07660705489 0	P80	50 / 200
07660705490 6	P60	50 / 200

NS Non-Stock Item

Orbital Disc Grit Guide

GRIT	BASIC APPLICATION
Extra Fine (320)	For primer, sealer and between coats sanding
Very Fine (220)	For very fine sanding of bare surfaces, primer and sealer sanding
Fine (180)	For finish sanding and cleaning of bare surfaces
Medium (150/120/100)	For light removal and smoothing of bare surfaces
Coarse (80/60)	For moderate removal and levelling of surface imperfections



Best choice for fastest cut

BLAZE A995 MULTI-AIR CYCLONIC

- Super tough backing
- Premium blend of ceramic grain
- Ultra-fine scratch pattern

PART #	GRIT	STD. PKG.
5" x Multi-Hole Hook & Sand		
636425 97504 5	220	50 / 200
636425 97503 8	180	50 / 200
636425 97502 1	150	50 / 200
636425 97501 4	120	50 / 200
699573 67757 5	100	50 / 200
636425 97500 7	80	50 / 200

PART #	GRIT	STD. PKG.
6" x Multi-Hole Hook & Sand		
636425 97509 0	220	50 / 200
636425 97508 3	180	50 / 200
636425 97507 6	150	50 / 200
636425 97506 9	120	50 / 200
699573 67758 2	100	50 / 200
636425 97505 2	80	50 / 200

ULTIMATE STRENGTH – NO MORE WEAR AND TEAR

An all-new exclusive backing design provides extraordinary strength with tear resistance well beyond any flexible paper disc in the market, as much 2-3X. This super-tough, polyester-reinforced D-weight hook & loop backing means exceptional edge adhesion of the grain even in the most demanding floorsanding applications; so, grain shed is virtually non-existent and the result is outstanding durability.




TECH TIP

To remove swirl marks left from edging. Consider sanding the edges with an orbital sander. For best results and to avoid halos, use the same grit on the orbital sander as you previously used on the edger. The super sharp ceramic alumina grain will easily remove edger marks and produce a scratch free finish.

Used for final sanding to blend sanding marks from edger and belt/drum sander

Always use a screen driver pad to prevent screen slippage and to maximize performance



Best choice for overall smoothest finish

RED HEAT Q955 SCREEN

- 100% patented SG ceramic grain
- Extremely sharp and fast cutting
- 2-3 times the life of Silicon Carbide
- Produces a finer scratch pattern than Silicon Carbide minimizing swirl marks

PART #	GRIT	STD. PKG.
15" Diameter		
636425 77090 9 <i>NS</i>	180	10 / 40
662610 26292 8 <i>NS</i>	150	10 / 40
662610 26293 5 <i>NS</i>	120	10 / 40
662610 26295 9 <i>NS</i>	100	10 / 40
662610 26296 6	80	10 / 10
16" Diameter		
662610 71018 4	220	10 / 10
662610 71017 7	180	10 / 10
662610 26297 3	150	10 / 10
662610 26299 7	120	10 / 10
662610 26300 0	100	10 / 10
662610 26301 7	80	10 / 10

PART #	GRIT	STD. PKG.
17" Diameter		
662544 80746 2 <i>NS</i>	220	10 / 20
662610 26302 4	150	10 / 10
662610 26303 1	120	10 / 10
662610 26304 8	100	10 / 10
662610 26305 5	80	10 / 10
18" Diameter		
662544 80747 9 <i>NS</i>	220	10 / 40
776960 68696 6 <i>NS</i>	180	10 / 40
662610 26306 2 <i>NS</i>	150	10 / 40
662610 26307 9 <i>NS</i>	120	10 / 40
662610 26308 6 <i>NS</i>	100	10 / 40
662610 26309 3 <i>NS</i>	80	10 / 10

PART #	GRIT	STD. PKG.
20" Diameter		
662544 80748 6	220	10 / 10
666233 04169 4	180	10 / 10
662610 26311 6	150	10 / 10
662610 26312 3	120	10 / 10
662610 26313 0	100	10 / 10
662610 26314 7	80	10 / 10

NS Non-Stock

SMOOTH FINISH FROM THE START!

100% patented SG (Seeded Gel) ceramic alumina abrasive for longest life, fastest cut and more consistent finish. Tough F-weight backing is extremely flexible and shock absorbent for extreme conditions. No risk of color transfer with assured color consistency. Ideal for larger jobs and harder A/O finishes.

Good choice for quality and consistency

DURITE Q421 SCREEN

- 100% Silicon Carbide grain bonded to an inter-woven polyester knit backing provides increased durability and life
- Full resin bond provides excellent grain retention

PART #	GRIT	STD. PKG.
15" Diameter		
662611 21490 2	220	10 / 10
662611 20508 5	180	10 / 10
662611 20509 2	150	10 / 10
662611 20510 8	120	10 / 10
662611 20511 5	100	10 / 10
662611 20512 2	80	10 / 10
662611 20513 9	60	10 / 10
16" Diameter		
662611 23032 2	220	10 / 10
662611 20514 6	180	10 / 10
662611 20515 3	150	10 / 10
662611 20516 0	120	10 / 10
662611 20517 7	100	10 / 10
662611 20518 4	80	10 / 10
662611 20519 1	60	10 / 10

PART #	GRIT	STD. PKG.
17" Diameter		
662611 31726 9 <i>NS</i>	220	10 / 20
662611 20520 7	180	10 / 10
662611 20521 4	150	10 / 10
662611 20522 1	120	10 / 10
662611 20523 8	100	10 / 10
662611 20524 5	80	10 / 10
662611 20525 2	60	10 / 10
18" Diameter		
662611 31727 6	220	10 / 10
662611 20526 9	180	10 / 10
662611 20527 6	150	10 / 10
662611 20528 3	120	10 / 10
662611 20529 0	100	10 / 10
662611 20530 6	80	10 / 10
662611 20531 3	60	10 / 10

PART #	GRIT	STD. PKG.
19" Diameter		
662611 20532 0 <i>NS</i>	180	10 / 20
662611 20533 7 <i>NS</i>	150	10 / 20
662611 20534 4 <i>NS</i>	120	10 / 20
662611 20535 1	100	10 / 10
662611 20536 8	80	10 / 10
662611 20537 5	60	10 / 10
20" Diameter		
662611 43724 0 <i>NS</i>	220	10 / 20
662611 20538 2 <i>NS</i>	180	10 / 10
662611 20539 9	150	10 / 10
662611 20540 5	120	10 / 10
662611 20541 2	100	10 / 10
662611 20542 9	80	10 / 10
662611 20543 6	60	10 / 10

NS Non-Stock

Good choice for performance and value

SILICON CARBIDE Q425 SCREEN

- Silicon Carbide abrasive in a cost effective design offers outstanding combination of performance and value

PART #	GRIT	STD. PKG.
15" Diameter		
662611 57321 4 <i>WSL</i>	120	10 / 10
662611 57320 7 <i>WSL</i>	100	10 / 40
662611 57319 1 <i>WSL</i>	80	10 / 20
16" Diameter		
662611 48894 2	220	10 / 10
662611 48895 6	180	10 / 10
662611 48896 3	150	10 / 10
662611 48897 0	120	10 / 10
662611 48898 7	100	10 / 10
662611 48899 4	80	10 / 10
662611 48900 1	60	10 / 10

PART #	GRIT	STD. PKG.
17" Diameter		
662611 48901 7	180	10 / 10
662611 48902 4	150	10 / 10
662611 48903 1	120	10 / 10
662611 48904 8	100	10 / 10
662611 48905 5	80	10 / 10
662611 48906 2	60	10 / 10
18" Diameter		
662611 57331 3	120	10 / 10
662611 48907 0	100	10 / 10
662611 48908 6	80	10 / 10
662611 48909 3	60	10 / 10

PART #	GRIT	STD. PKG.
19" Diameter		
662611 57335 5 <i>NS</i>	120	10 / 40
662611 57334 2 <i>NS</i>	100	10 / 20
662611 57333 9	80	10 / 10
662611 57332 6	60	10 / 10
20" Diameter		
662611 57342 7	220	10 / 10
662611 57341 0	180	10 / 10
662611 57340 3	150	10 / 10
662611 48910 5	120	10 / 10
662611 48911 2	100	10 / 10
662611 48912 9	80	10 / 10
662611 48913 6	60	10 / 10

NS Non-Stock WSL While Supplies Last

Best choice for driving screen discs



SCREEN DRIVER PADS

- Designed specifically for driving sanding screens and double sided discs
- Unique design prevents slippage which improves screen/disc life, cut, and finish
- Minimizes dish out of soft grain
- Can be used to buff on stain under a rotary buffer. The pad will hold and disperse stain evenly over the floor without slinging.

PART #	GRIT	STD. PKG.
15" x 1/4" Diameter		
66261018833 4	White	10 / 10
16" x 1/4" Diameter		
66261016968 6	White	10 / 10

PART #	GRIT	STD. PKG.
17" x 1/4" Diameter		
66261017116 3	White	10 / 10
20" x 1/4" Diameter		
66261017118 6	White	10 / 10




Used for multiple levels of surface
blending on hardwood floors

Used between coats of finish to give the
surface a texture to adhere to

Used to remove dust particles and raised
fibers between coats

patented FOAM DESIGN!

The new way to sand between coats of finish. Unique pending design allows you to smooth and prep the surface of the floor to properly accept the next coat of finish without the risk of nasty swirl marks. Four grits – coarse, medium, fine and very fine – accommodate any application. The foam backing pad allows the product to abrade the surface without penetrating deep into the finish, resulting in a smoother overall floor.



Application Guide

BETWEEN COATS APPLICATION	SANDDOLLAR PADS
Surface Prep / Re coat Heavy Scratches	Blue or Red
Surface Prep / Re coat Light Scratches	Red
Sealer Coat Solvent Base	Blue
Sealer Coat Water Base	Red
Finish Coat Solvent Base	Red or Yellow
Finish Coat Water Base	Yellow or Green

TECH TIP

Don't over use your abrasive product when abrading between coats of finish. A worn out abrasive will still dull the surface, but it may not be putting the proper scratch into the finish to get a good mechanical bond for the next coat of finish.

If the surface isn't abraded properly, you can wind up with finish peeling, flaking and chipping. It's a lot less expensive to use a few more abrasive products on the job than to go and re-sand a job because of finish failure.

Best choice for eliminating scratches between coats



SANDDOLLAR PADS

- Norton SandDollar foam pads have a long life - approximately 1500 ft/pad
- Pads are extremely durable and tear resistant
- Design virtually eliminates the chance of cutting through the finish

PART #	GRIT	STD. PKG.
16" Diameter		
662611 94117 4	Very Fine / Green	4 / 4
662611 94115 0	Fine / Yellow	4 / 4
662611 94114 3	Medium / Red	4 / 4
662611 94109 9	Coarse / Blue	4 / 4
662611 94874 6	Asst. / 1 of each color	4 / 4

PART #	GRIT	STD. PKG.
16" Diameter (Bulk)		
662611 102209 5 <i>NS</i>	Very Fine / Green	90 / 90
662611 102208 8 <i>NS</i>	Fine / Yellow	90 / 90
662611 102207 1 <i>NS</i>	Medium / Red	90 / 90
662611 102206 4 <i>NS</i>	Coarse / Blue	90 / 90
20" Diameter		
662611 106348 7	Fine/Yellow	4 / 4
666233 83384 8	Medium / Red	4 / 4
666233 98561 5	Coarse / Blue	4 / 4

PART #	GRIT	STD. PKG.
14" x 20"		
776960 84091 7 <i>NS</i>	Medium / Red	4 / 4
776960 84095 5 <i>NS</i>	Coarse / Blue	4 / 4
14" x 28"		
776960 89042 4 <i>NS</i>	Medium / Red	8 / 8
776960 89043 1 <i>NS</i>	Coarse / Blue	8 / 8

NS Non-Stock

Good choice for abrading between coats of finish



NON-WOVEN CONDITIONING PADS

- These 1/4" thick pads are manufactured with the finest fibers, resins and abrasives
- The unique design of this pad has a perforated 7" disc that is easily removed for use on an edger machine or simply as a hand pad
- Use a maroon conditioning pad in conjunction with our aluminum oxide PSA sheet roll, applied in strips to the pad; this combination is especially effective on water-based finishes where screening takes away too much finish

ALUMINUM OXIDE PSA SHEET ROLLS

- Use a maroon conditioning pad in conjunction with our aluminum oxide PSA sheet roll, applied in strips to the pad
- This combination is especially effective on water-based finishes where screening will take away too much finish.

CERAMIC ALUMINA PSA SHEET ROLLS

- Use a maroon conditioning pad in conjunction with our ceramic alumina PSA sheet roll, applied in strips to the pad
- The ceramic grain allows for extra-long life and super-fine scratch pattern

Application Guide

BETWEEN COATS APPLICATION	DARK MAROON PAD AND PSA SHEETS
Surface Prep / Re coat Light Scratches	Pad w/ 150 Grit PSA
Sealer Coat Solvent Base	Pad w/ 150 Grit PSA
Sealer Coat Water Base	Pad w/ 150 or 180 Grit PSA
Finish Coat Solvent Base	Pad w/ 150 or 180 Grit PSA
Finish Coat Water Base	Pad w/ 220 or 240 Grit PSA

PART #	GRIT/COLOR	STD. PKG.
Non-Woven Conditioning Pads		
16" Diameter		
66261002054 2	Ultra Fine / Gray	10 / 10
66261002055 9	Very Fine / Dark Maroon	10 / 10
66261002056 6	Medium / Maroon	10 / 10
18" Diameter		
66261002218 8	Very Fine / Dark Maroon	10 / 10
66261002220 1 NS	Medium / Maroon	10 / 10
19" Diameter		
66261019794 7 NS	Very Fine / Dark Maroon	10 / 10
20" Diameter		
66261015083 6 NS	Ultra Fine / Gray	10 / 100
66261014691 4	Very Fine / Dark Maroon	10 / 10
66261015689 0 NS	Medium / Maroon	10 / 10

NS Non-Stock

PART #	GRIT	STD. PKG.
Aluminum Oxide PSA Sheet Rolls – A275		
2-3/4" x 30 yards		
66261131689 7	120	1 / 5
66261131690 3	100	1 / 5
2-3/4" x 45 yards		
66261131681 1	400	1 / 5
66261131683 5	320	1 / 5
66261131685 9	240	1 / 5
66261131686 6	220	1 / 5
66261131687 3	180	1 / 5
66261131688 0	150	1 / 5
Ceramic Alumina PSA Sheet Rolls – A975		
2-3/4" x 30 yards		
66261149564 6	120	1 / 5
2-3/4" x 45 yards		
66261149558 5	320	1 / 5
66261149561 5	220	1 / 5
66261149562 2	180	1 / 5




Good choice for cleaning or polishing floors

CLEAN & PREP PADS

- Provides a deeper cleaning that a standard maroon pad
- 16" Disc has a perforated 7" disc that can be removed and used on an edger machine
- Can be used to abrade between coats of oil or water based finish.

PART #	GRIT	STD. PKG.
16" Diameter		
66261170589 9	Medium	10 / 10
17" Diameter		
66261170590 5	Medium	10 / 10
20" Diameter		
66261170591 2	Medium	10 / 10

Good choice for cleaning or polishing floors



BUFFING PADS

- **RED BUFFER PAD:** Generally used where a high gloss finish is desired when dry or spray buffing. It can also be used for light cleaning applications.
- **WHITE SUPER GLOSS PAD:** A non-abrasive polishing/buffing pad, used dry or with a fine mist to yield a mirror gloss shine.

PART #	SIZE	STD. PKG.
Red Buffer		
662610 54275 4	16"	5 / 5
662610 54276 1	17"	5 / 5
662610 54277 8	18"	5 / 5
662610 54278 5	19"	5 / 5
662610 54279 2	20"	5 / 5

PART #	SIZE	STD. PKG.
White Super Gloss		
662611 41782 2	16" High Density	5 / 5
662610 54208 2	16"	5 / 5
662610 54209 9	17"	5 / 5
662610 54210 5	18"	5 / 5
662610 54211 2	19"	5 / 5
776960 95438 6	20" High Density	5 / 5
662610 54212 9	20"	5 / 5

Additional Sizes Available as Non-Stock:
21" up to 32"

Additional Pads Available:
Stripping Pads - Ultra Blue, High Pro Black, and Black Super Strip



Ideal for fine sanding flat, contoured, round and curved surfaces

ROTOLO PRE-CUT FOAM SANDING PADS

- A275 (premium P-graded, aluminum oxide grain with No-Fil coating) on Rotolo foam backing is: perfect for hand sanding without leaving finger marks; provides outstanding finish on wood, metal, and composites, and primers, sealers and top coats; fast cutting and long life without loading; compatible with all coatings; 50% – 60% improvement in tear strength
- 4-1/2" wide x 82' long roll perforated every 5-1/2" – Standard 1/4 sheet size for hand or machine sanding; 178 sheets per roll
- Convenient dispensing box that protects A275 Rotolo foam from damage

PART #	SIZE	STD. PKG.
A275 OP Foam Sanding Pads		
636425 57616 7	P1000	2
636425 57613 6	P800	2
636425 57612 9	P600	2
636425 57611 2	P500	2
636425 57608 2	P400	2
636425 57606 8	P320	2
636425 57604 4	P280	2
636425 57602 0	P240	2
636425 57600 6	P220	2
636425 57599 3	P180	2
636425 57584 9	P150	2
636425 35316 4	P120	2

Application / Grit Recommendation Guide

GRIT	APPLICATION
P120, P150, P180	Cleaning/repairing minor defects, removing putty and fillers
P220, P240, P280	Final sanding and removing coarse grit scratches
P320, P400	Feather edging, scuffing primer or new parts before painting, sealer sanding
P500, P600	Final sanding for base coat, between coat sanding of top coats
P800, P1000	Sanding clear coats to remove minor defects

FOR OUTSTANDING FINISHES!

Rotolo foam pre-cut sheets, are ideal for fine sanding flat, contoured, round and curved surfaces. The combination of high-performance A275 non-loading sandpaper and the special Rotolo foam backing makes this product ideal for sanding waterborne and solvent-based coatings where controlling cut and generating a uniform consistent finish is critical.

Excellent assortment for all applications and types of finish

Trim pads are hook & loop making application and removal simple and easy

Lamb's wool pads tie on instead of clamping making application and removal simple and easy.



Four applicator options to give you the finished look your customers demand

FLOOR FINISH APPLICATORS



- **LAMB'S WOOL BLOCKS AND REFILL PADS:** Our synthetic lamb's wool blocks and refill pads are made out of high quality material to ensure an excellent coating of finish. The refill pads include a drawstring that is tied around the block making the attachment/removal of the lamb's wool refill pad a snap saving time and money.
- **TRIM TOOL AND REFILL PADS:** The trim tool and refill pads use a unique hook and loop application making the attachment and removal of the pad easy and safe. No more worrying about the pad sliding out of the holder. It makes cleaning the pads much easier. The tool itself is designed with a low-profile "button" style handle that allows you to hand apply finish into tight areas. Moreover, you can detach the handle to get to the threaded portion of the tool to attach a pole.
- **T-BARS AND SLEEVES:** Our durable and rugged T-bar construction is designed for longevity. The in-line swivel makes turning and pulling finish easier and smoother. The rugged pole attachment design will work with most any pole. Our T-bar sleeves are comprised of high-end flocking material along with durable tubing to give you a long lasting and consistent product. Each cover is a half an inch longer than the T-bar itself giving you an area to grab onto the cover and pull it off easily.
- **ROLLER COVERS AND CAGE:** We are offering our roller covers in both micro-fiber and mohair to accommodate most floor finishes. Our non-shedding roller covers are designed to offer a smooth and consistent coating of finish. The roller cage itself utilizes a smoother rolling mechanism creating a very smooth rolling application.

PART #	DESCRIPTION	CASE QTY.
Wood Block Applicator		
662611 70583 7	10"	16
662611 70584 4	12"	16
662611 70585 1	14"	8
662611 70586 8	16"	8
Synthetic Lamb's Wool Refill Pad		
662611 70579 0	10"	20
662611 70580 6	12"	20
662611 70581 3	14"	20
662611 70582 0	16"	20

PART #	DESCRIPTION	CASE QTY.
Trim Tool and Refill Pads		
662611 70572 1	9" Trim tool & pad	10
662611 70573 8	9" Trim pad refill	36
T-Bars		
662611 70626 1	12"	20
662611 70627 8	18"	20
T-Bar Sleeves		
662611 70576 9	12"	8
662611 70577 6	18"	8
662611 70578 3	24"	8

PART #	DESCRIPTION	CASE QTY.
Roller Covers and Cage		
662611 70574 5	9" - 1/4" Microfiber	12
662611 70575 2	9" - 3/8" Microfiber	12
662611 70587 5	9" - 1/4" Mohair	12
662611 70588 2	9" Roller Cage	12

Faster cutting and consistent blade sharpening



HAND SCRAPER / SHARPENER KIT

- Comes with a custom sharpening jig which provides a super-sharp and consistent blade while eliminating the dangers of sharpening with a file by hand
- Ergonomic handle provides a comfortable feel and its flex allows for maximum scraping capacity
- To sharpen blade simply attach to the guide rod of the sharpening jig; a few passes and its ready to go
- The kit comes with two handles and two blades (one 3/4" and one 1-1/2"); replacement blades are sold separately

PART #	DESCRIPTION	STD. PKG.
Hand Scraper / Sharpener Kit		
66261170592 9	Scraper Kit	1 / 12
66261170625 4	Replacement Blades	25 / 25

Ideal choice for masking and hanging plastic sheeting for dust control



PRO GAME LINE TAPE

- This premium grade tape is specifically designed for all your game line and striping needs
- The tape exhibits excellent edge block while completely releasing from the floor when removed leaving no residue
- Flexible, tough backing allows the tape to turn easily while not tearing during application or removal
- It also works extremely well in conjunction with plastic sheeting for dust control

PART #	SIZE	STD. PKG.
60 Yard Rolls		
07660768301 3	.70"	48
07660768302 9	.94"	36

PART #	SIZE	STD. PKG.
60 Yard Rolls		
07660768303 2	1.41"	24
07660768304 8	1.89"	24

Ideal for masking and hanging plastic sheeting for dust control



PREMIUM GRADE CLEAN RELEASE TAPE

- Premium grade, clean-release tape meets or exceeds market standards
- Available in various widths for maximum versatility
- Medium adhesion masking means just enough tackiness to stick well to surfaces without the risk of pulling off point from the wall or leaving adhesive behind

PART #	SIZE	STD. PKG.
60 Yard Rolls		
07660702450 3	3/4"	48
07660702451 0	1"	36

PART #	SIZE	STD. PKG.
60 Yard Rolls		
07660702452 7	1-1/2"	24
07660702453 4	2"	24

Ideal for dust control



PLASTIC SHEETING

- Our multi-purpose plastic sheeting protects virtually any area from sanding dust
- Its tough .31 mil. High-Density Polyethylene (HDPE) plastic resists tearing
- Natural electrostatic properties allow it to cling to vertical surfaces during taping
- Attracts and holds sanding dust for a cleaner work environment.

PART #	SIZE	STD. PKG.
07660768142 3	9' x 400' - .31 mil.	1 / 1

PART #	SIZE	STD. PKG.
07660768143 0	12' x 400' - .31 mil.	1 / 1

Good choice for board repairs



EPOXY/KIT/GUN/NOZZLES

- Five minute open time ideal for all board repairs
- Clear adhesive – excellent for knot and defect repair
- 1-1/2" needle for hollow board repair;
- Several nozzles and needles for multiple use
- Quick, cost-efficient, and easy-to-use dispensing gun is also available

PART #	QTY/PACK	PACKS/CASE
Fast Set Epoxy Kit		
66261170630 8	1	6
Hardwood Floor Epoxy		
77696099008 7	1	6

PART #	QTY/PACK	PACKS/CASE
Dispensing Gun		
66261170631 5	1	10
Mixing Nozzles		
66261170633 9	10	10

Good choice for dust tacking



MICROFIBER CLOTHS

- Microfiber Cloths have edges that collect debris as opposed to pushing it away and can be washed up to 300 times
- Cleaning Cloth (Blue) is used for general wet or dry cleaning applications
- Dry Tack Cloth (Red) has a low profile to resist snagging and pick up embedded debris
- Polishing Cloth (Yellow) is ideal for streak free cleaning of mirrors and optical lenses.

PART #	SIZE	STD. PKG.
Cleaning Cloth (Blue)		
07660705300 8	16" x 16"	20 / 20

PART #	SIZE	STD. PKG.
Dry Tack Cloth (Red)		
07660704025 1	16" x 16"	20 / 20

PART #	SIZE	STD. PKG.
Polishing Cloth (Yellow)		
07660705301 5	16" x 16"	20 / 20

Good choice for hand protection



DISPOSABLE GLOVES

- Norton nitrile disposable gloves provide options for safety and comfort while tackling even the toughest repair jobs
- Available in a full range of styles and sizes, from the economical blue 4mil nitrile gloves ideal for smaller projects to the textured orange 7 mil nitrile gloves featuring "diamond" textured pattern with excellent gripping properties

PART #	SIZE	PIECES/PACK	PACKS/CASE
Blue - General-Purpose (4 mil.) Nitrile			
66623390700 6	Medium	100	10
66623390701 3	Large	100	10
66623390702 0	X-Large	100	10
66623390703 7	XX-Large	100	10

PART #	SIZE	PIECES/PACK	PACKS/CASE
Black - Heavy-Duty (6 mil.) Nitrile			
66623390704 4	Medium	100	10
66623390705 1	Large	100	10
66623390706 8	X-Large	100	10
66623390707 5	XX-Large	100	10

PART #	SIZE	PIECES/PACK	PACKS/CASE
Orange - Textured (7 mil.) Nitrile			
66623390708 2	Medium	50	10
66623390709 9	Large	50	10
66623390710 5	X-Large	50	10
66623390711 2	XX-Large	50	10

Best choice for hand protection



MECHANICS GLOVES

- Full non-slip silicon-printed palm
- Touch screen function on index finger knuckle and terry cloth on thumb
- Hook and loop closure

PART #	SIZE	QTY./PACK	PACKS/CASE
Mechanics Gloves			
07660768400 4	One Size	1 Pair	10 Pairs

Part-To-Page Cross Reference

PART #	PAGE #	PART #	PAGE #	PART #	PAGE #	PART #	PAGE #	PART #	PAGE #
07660701385	11	63642574609	5	66261015689	27	66261055938	8	66261102206	26
07660701386	11	63642574610	9	66261016968	25	66261055939	8	66261102207	26
07660701387	11	63642574611	9	66261017116	25	66261055940	8	66261102208	26
07660701388	11	63642574612	9	66261017118	25	66261055941	8	66261102209	26
07660701392	11	63642574613	9	66261018833	25	66261055942	8	66261102431	9
07660701393	11	63642574614	9	66261019794	27	66261055943	8	66261103815	16
07660702450	30	63642574615	9	66261023073	15	66261055944	8	66261104794	16
07660702451	30	63642574616	9	66261026292	23	66261055945	8	66261105624	16
07660702452	30	63642574617	9	66261026293	23	66261055946	8	66261106348	26
07660702453	30	63642574618	9	66261026295	23	66261055947	8	66261106717	16
07660702489	11	63642577090	23	66261026296	23	66261055948	8	66261107073	15
07660702490	11	63642577635	5	66261026297	23	66261055950	12	66261107163	16
07660703846	11	63642577636	5	66261026299	23	66261055951	12	66261110401	16
07660704025	31	63642577637	5	66261026300	23	66261055952	12	66261110508	16
07660704033	21	63642577638	5	66261026301	23	66261055953	12	66261110792	16
07660704034	21	63642577639	5	66261026302	23	66261055954	12	66261112748	9
07660704035	21	63642577640	5	66261026303	23	66261055955	12	66261113130	15
07660704036	21	63642577641	5	66261026304	23	66261055956	12	66261113134	16
07660704037	21	63642577642	5	66261026305	23	66261055958	12	66261113139	16
07660704038	21	63642577643	5	66261026306	23	66261055959	12	66261113141	16
07660704041	21	63642577644	5	66261026307	23	66261055960	12	66261113270	9
07660705300	31	63642592878	4	66261026308	23	66261055961	12	66261113954	9
07660705301	31	63642592879	4	66261026309	23	66261055962	12	66261115600	9
07660705483	21	63642592880	4	66261026311	23	66261055963	12	66261115627	9
07660705484	21	63642592881	4	66261026312	23	66261055964	12	66261115629	9
07660705486	21	63642592882	4	66261026313	23	66261055965	12	66261115747	16
07660705487	21	63642592883	4	66261026314	23	66261055966	12	66261115764	16
07660705488	21	63642592884	4	66261029395	11	66261055967	12	66261119583	15
07660705489	21	63642592885	4	66261031815	15	66261055968	12	66261120508	24
07660705490	21	63642595802	4	66261031816	15	66261055969	12	66261120509	24
07660768084	4	63642595803	4	66261040283	12	66261069003	19	66261120510	24
07660768085	4	63642595807	4	66261040284	12	66261069004	19	66261120511	24
07660768086	4	63642597500	22	66261040285	12	66261071017	23	66261120512	24
07660768087	4	63642597501	22	66261040286	12	66261071018	23	66261120513	24
07660768088	4	63642597502	22	66261040691	4	66261078093	19	66261120514	24
07660768142	30	63642597503	22	66261040692	4	66261078094	19	66261120515	24
07660768143	30	63642597504	22	66261040693	4	66261078095	19	66261120516	24
07660768279	21	63642597505	22	66261040694	4	66261078096	19	66261120517	24
07660768301	30	63642597506	22	66261040695	4	66261078097	19	66261120518	24
07660768302	30	63642597507	22	66261040696	4	66261078098	19	66261120519	24
07660768303	30	63642597508	22	66261040697	4	66261078099	19	66261120520	24
07660768304	30	63642597509	22	66261044742	10	66261078100	19	66261120521	24
07660768400	31	66254408866	19	66261044745	10	66261078101	19	66261120522	24
63642524645	5	66254425418	15	66261044746	10	66261078102	19	66261120523	24
63642530592	15	66254440809	19	66261044748	10	66261078103	19	66261120524	24
63642530593	15	66254440810	19	66261051676	11	66261078104	19	66261120525	24
63642530594	15	66254440811	19	66261054208	28	66261078105	19	66261120526	24
63642535316	28	66254440813	19	66261054209	28	66261078106	19	66261120527	24
63642557584	28	66254448364	11	66261054210	28	66261078107	19	66261120528	24
63642557599	28	66254448365	11	66261054211	28	66261078108	19	66261120529	24
63642557600	28	66254476403	10	66261054212	28	66261078109	19	66261120530	24
63642557602	28	66254476404	10	66261054275	28	66261078110	19	66261120531	24
63642557604	28	66254480746	23	66261054276	28	66261078111	19	66261120532	24
63642557606	28	66254480747	23	66261054277	28	66261078112	19	66261120533	24
63642557608	28	66254480748	23	66261054278	28	66261078113	19	66261120534	24
63642557611	28	66261002054	27	66261054279	28	66261078114	19	66261120535	24
63642557612	28	66261002055	27	66261055759	17	66261078115	19	66261120536	24
63642557613	28	66261002056	27	66261055760	17	66261078116	19	66261120537	24
63642557616	28	66261002211	15	66261055762	17	66261081820	15	66261120538	24
63642574600	5	66261002218	27	66261055827	17	66261081822	15	66261120539	24
63642574601	5	66261002220	27	66261055828	17	66261081824	15	66261120540	24
63642574602	5	66261006547	11	66261055829	17	66261081826	15	66261120541	24
63642574603	5	66261007703	15	66261055830	17	66261100115	16	66261120542	24
63642574604	5	66261009217	11	66261055831	17	66261100117	16	66261120543	24
63642574605	5	66261009218	11	66261055934	8	66261100118	16	66261121490	24
63642574606	5	66261014022	15	66261055935	8	66261100267	16	66261122406	11
63642574607	5	66261014691	27	66261055936	8	66261101452	16	66261122407	11
63642574608	5	66261015083	27	66261055937	8	66261102001	16	66261122408	11

Part-To-Page Cross Reference

PART #	PAGE #	PART #	PAGE #	PART #	PAGE #	PART #	PAGE #	PART #	PAGE #
66261122409	11	66261135080	14	66261147040	9	66261150032	3	66261170603	9
66261122410	11	66261135081	14	66261147045	9	66261150033	3	66261170604	9
66261122411	11	66261135082	14	66261147050	9	66261150034	3	66261170605	9
66261122415	11	66261135083	14	66261147055	9	66261150035	3	66261170606	9
66261123032	24	66261135084	14	66261147150	9	66261150037	7	66261170607	9
66261123042	9	66261135085	14	66261148894	24	66261150040	7	66261170608	9
66261123043	9	66261135086	14	66261148895	24	66261150041	7	66261170625	30
66261123046	15	66261135735	18	66261148896	24	66261150043	7	66261170626	29
66261123412	9	66261135736	18	66261148897	24	66261150044	7	66261170627	29
66261123814	15	66261135737	18	66261148898	24	66261150045	7	66261170630	31
66261124636	18	66261135738	18	66261148899	24	66261150046	7	66261170631	31
66261124637	18	66261135739	18	66261148900	24	66261150047	7	66261170633	31
66261124638	18	66261135740	18	66261148901	24	66261150048	7	66261183283	8
66261124644	18	66261135741	18	66261148902	24	66261150049	7	66261183284	8
66261124650	18	66261135872	18	66261148903	24	66261150050	7	66261183285	8
66261124651	18	66261135874	18	66261148904	24	66261150051	7	66261183286	8
66261124659	18	66261136231	18	66261148905	24	66261150052	7	66261183287	8
66261124665	18	66261139519	18	66261148906	24	66261150053	7	66261183288	8
66261124671	18	66261141782	28	66261148907	24	66261157319	24	66261183289	8
66261124672	18	66261142832	11	66261148908	24	66261157320	24	66261183290	8
66261124673	18	66261143128	18	66261148909	24	66261157321	24	66261183291	8
66261124679	18	66261143129	18	66261148910	24	66261157331	24	66261183292	8
66261124680	18	66261143130	18	66261148911	24	66261157332	24	66261183293	8
66261124682	18	66261143131	18	66261148912	24	66261157333	24	66261183294	8
66261124684	18	66261143132	18	66261148913	24	66261157334	24	66261183295	8
66261124686	18	66261143133	18	66261149059	18	66261157335	24	66261183296	8
66261124687	18	66261143140	11	66261149150	18	66261157340	24	66261183297	8
66261128561	18	66261143141	11	66261149152	18	66261157341	24	66261183298	8
66261131681	27	66261143142	11	66261149153	18	66261157342	24	66261183306	11
66261131683	27	66261143143	11	66261149154	18	66261159696	19	66261183307	11
66261131685	27	66261143144	11	66261149155	18	66261159697	19	66261183308	11
66261131686	27	66261143145	11	66261149157	18	66261159699	19	66261183309	11
66261131687	27	66261143724	24	66261149158	11	66261159700	19	66261183310	11
66261131688	27	66261146465	16	66261149507	18	66261159701	19	66261183311	11
66261131689	27	66261146470	16	66261149558	27	66261159702	19	66261183312	11
66261131690	27	66261146490	16	66261149561	27	66261159703	19	66261194109	26
66261131726	24	66261146505	16	66261149562	27	66261159704	19	66261194114	26
66261131727	24	66261146510	16	66261149564	27	66261170572	29	66261194115	26
66261131730	15	66261146515	16	66261149716	20	66261170573	29	66261194117	26
66261131731	15	66261146585	16	66261149717	20	66261170574	29	66261194874	26
66261131732	15	66261146590	16	66261150000	3	66261170575	29	66261199167	11
66261131733	15	66261146595	16	66261150001	3	66261170576	29	66261199168	11
66261131734	15	66261146600	16	66261150002	3	66261170577	29	66261199169	11
66261131735	16	66261146605	16	66261150003	3	66261170578	29	66261199170	11
66261131736	16	66261146610	16	66261150004	3	66261170579	29	66623304169	23
66261131737	16	66261146615	16	66261150005	3	66261170580	29	66623305450	8
66261131817	15	66261146620	16	66261150007	3	66261170581	29	66623305451	8
66261131818	15	66261146625	16	66261150008	3	66261170582	29	66623305452	8
66261131819	15	66261146630	16	66261150009	3	66261170583	29	66623305453	8
66261131821	15	66261146680	16	66261150011	3	66261170584	29	66623305454	8
66261131822	15	66261146705	16	66261150012	3	66261170585	29	66623305455	8
66261135063	14	66261146880	9	66261150013	3	66261170586	29	66623305456	8
66261135064	14	66261146885	9	66261150014	3	66261170587	29	66623308395	10
66261135065	14	66261146890	9	66261150016	3	66261170588	29	66623314701	10
66261135066	14	66261146895	9	66261150017	3	66261170589	27	66623314702	10
66261135067	14	66261146900	9	66261150018	3	66261170590	27	66623319888	8
66261135068	14	66261146905	9	66261150019	3	66261170591	27	66623319889	8
66261135069	14	66261146910	9	66261150020	3	66261170592	30	66623319890	8
66261135070	14	66261146915	9	66261150021	3	66261170593	9	66623319891	8
66261135071	14	66261146920	9	66261150022	3	66261170594	9	66623319892	8
66261135072	14	66261146925	9	66261150023	3	66261170595	9	66623319893	8
66261135073	14	66261146930	9	66261150024	3	66261170596	9	66623319894	8
66261135074	14	66261147010	9	66261150025	3	66261170597	9	66623319895	8
66261135075	14	66261147015	9	66261150026	3	66261170598	9	66623319896	8
66261135076	14	66261147020	9	66261150027	3	66261170599	9	66623319897	8
66261135077	14	66261147025	9	66261150028	3	66261170600	9	66623319898	8
66261135078	14	66261147030	9	66261150029	3	66261170601	9	66623319899	8
66261135079	14	66261147035	9	66261150031	3	66261170602	9	66623319901	8

Part-To-Page Cross Reference

PART #	PAGE #	PART #	PAGE #	PART #	PAGE #	PART #	PAGE #	PART #	PAGE #
66623319902	8	66623319980	5	66623374364	20	69957342129	17	69957345030	4
66623319903	8	66623319981	5	66623374365	20	69957342130	17	69957345031	4
66623319904	13	66623319982	5	66623374366	20	69957342134	17	69957345032	4
66623319905	13	66623319983	5	66623374367	20	69957342135	17	69957345033	4
66623319906	13	66623319985	8	66623374368	21	69957342136	17	69957345034	4
66623319907	13	66623319986	8	66623377647	5	69957342137	17	69957345035	4
66623319908	13	66623319987	8	66623377648	5	69957342138	17	69957345036	4
66623319909	13	66623319988	8	66623377649	5	69957342139	17	69957345037	4
66623319910	13	66623319989	8	66623377650	5	69957342140	17	69957345038	4
66623319911	13	66623319990	8	66623377651	5	69957342149	17	69957345039	4
66623319912	13	66623319991	8	66623377653	5	69957342153	17	69957345040	4
66623319913	13	66623319992	8	66623377654	5	69957342155	17	69957345041	4
66623319914	13	66623319993	8	66623377656	5	69957342161	17	69957345042	4
66623319915	13	66623319994	8	66623377657	5	69957342167	17	69957345338	15
66623319916	13	66623319995	8	66623377658	5	69957342168	17	69957345342	15
66623319917	13	66623319996	8	66623377660	5	69957342169	17	69957346292	4
66623319918	13	66623319997	8	66623377661	5	69957342174	17	69957346293	4
66623319919	13	66623319998	8	66623383384	26	69957342175	17	69957346294	4
66623319920	13	66623319999	8	66623390700	31	69957342176	17	69957346295	4
66623319921	13	66623372279	5	66623390701	31	69957342177	17	69957346296	4
66623319922	13	66623372280	5	66623390702	31	69957342178	17	69957346297	4
66623319923	13	66623372281	5	66623390703	31	69957342180	17	69957346298	4
66623319924	13	66623372282	5	66623390704	31	69957342181	17	69957346299	4
66623319925	13	66623372283	5	66623390705	31	69957342182	17	69957365332	15
66623319926	13	66623372284	5	66623390706	31	69957342184	10	69957365435	9
66623319928	20	66623374202	5	66623390707	31	69957342185	10	69957367757	22
66623319929	20	66623374203	5	66623390708	31	69957342186	10	69957367758	22
66623319930	20	66623374205	5	66623390709	31	69957342190	10	69957368456	9
66623319931	20	66623374206	5	66623390710	31	69957342192	10	69957370201	14
66623319932	20	66623374208	5	66623390711	31	69957342198	10	69957370202	14
66623319933	20	66623374209	5	66623398561	26	69957342199	10	69957370203	14
66623319934	20	66623374210	5	69957312135	10	69957342206	10	69957370204	14
66623319935	20	66623374211	5	69957319461	13	69957342213	10	69957392500	4
66623319936	20	66623374223	8	69957319462	13	69957342214	10	69957392501	4
66623319937	20	66623374264	8	69957319463	13	69957342215	10	69957392502	4
66623319938	20	66623374268	8	69957319464	13	69957342216	10	69957392503	4
66623319939	20	66623374269	8	69957319465	13	69957342217	10	69957392504	4
66623319940	20	66623374270	8	69957319467	13	69957342218	10	69957392505	4
66623319941	20	66623374271	8	69957319468	13	69957342219	10	69957392506	4
66623319942	20	66623374272	8	69957319469	13	69957342220	10	77696036429	5
66623319944	5	66623374273	8	69957319470	13	69957342221	10	77696068696	23
66623319945	5	66623374274	8	69957319471	13	69957342222	10	77696069564	9
66623319946	5	66623374275	8	69957319472	13	69957342223	10	77696069565	9
66623319947	5	66623374277	8	69957319473	13	69957342224	10	77696069566	9
66623319948	5	66623374278	8	69957319474	13	69957342225	10	77696069567	9
66623319949	5	66623374279	8	69957319475	13	69957342226	10	77696069568	9
66623319950	5	66623374280	8	69957319476	13	69957342227	10	77696069569	9
66623319951	5	66623374281	8	69957319478	13	69957342228	10	77696069570	9
66623319960	5	66623374282	8	69957321935	10	69957342233	10	77696084091	26
66623319961	5	66623374344	20	69957325881	11	69957342234	10	77696084095	26
66623319962	5	66623374345	20	69957325882	11	69957342245	10	77696085539	19
66623319963	5	66623374346	20	69957325884	11	69957342246	10	77696085783	19
66623319964	5	66623374347	20	69957325885	11	69957342247	10	77696085785	19
66623319965	5	66623374349	20	69957325886	11	69957342249	10	77696085786	19
66623319966	5	66623374350	20	69957325887	11	69957342252	10	77696085787	19
66623319967	5	66623374351	20	69957325888	11	69957342254	10	77696085788	19
66623319968	5	66623374352	20	69957342096	17	69957344601	15	77696085789	19
66623319969	5	66623374353	20	69957342100	17	69957344604	15	77696085790	19
66623319970	5	66623374354	20	69957342101	17	69957344606	15	77696089042	26
66623319971	5	66623374355	20	69957342107	17	69957344614	15	77696089043	26
66623319972	5	66623374356	20	69957342108	17	69957344615	15	77696095438	28
66623319973	5	66623374357	20	69957342109	17	69957344616	15	77696099008	31
66623319974	5	66623374358	20	69957342121	17	69957344618	15	78072769536	6
66623319975	5	66623374359	20	69957342122	17	69957344620	15	78072772053	6
66623319976	5	66623374360	20	69957342123	17	69957344625	15	78072772102	6
66623319977	5	66623374361	20	69957342124	17	69957345027	4	78072772104	6
66623319978	5	66623374362	20	69957342125	17	69957345028	4	78072772105	6
66623319979	5	66623374363	20	69957342128	17	69957345029	4		

Wood Flooring Species

MEASUREMENT CRITERIA

The Janka hardness test is a measurement of the force necessary to embed a .444-inch steel ball to half its diameter in wood. It is the industry standard for gauging the ability of various species to tolerate denting and normal wear, as well as being a good indication of the effort required to either sand, nail, or saw the particular wood.

	WOOD SPECIES	HARDNESS	SANDING PRODUCT			
			BLAZE	RED HEAT	BLUEFIRE	NEON
	Imported Woods					
	Ilpe / Brazilian Walnut / Lapacho	3684				
	Cumaru / Brazilian Teak	3540				
	Ebony	3220				
	Brazilian Redwood / Paraju	3190				
	Angelim Pedra	3040				
	Bloodwood	2900				
	Red Mahogany, Turpentine	2697				
	Spotted Gum	2473				
	Brazilian Cherry / Jatoba	2350				
	Mesquite	2345				
	Santos Mahogany, Bocote, Cabreuva	2200				
	Pradoo	2170				
	Brushbox	2135				
	Karri	2030				
	Sydney Blue Gum	2023				
	Bubinga	1980				
	Cameron	1940				
	Tallowwood	1933				
	Merbau	1925				
	Amendoim	1912				
	Jarrah	1910				
	Purpleheart	1860				
	Goncalo Alves / Tigerwood	1850				
	Hickory / Pecan / Satinwood	1820				
	Atzelia / Doussie	1810				
	Bangkirai	1798				
	Rosewood	1780				
	African Padauk	1725				
	Blackwood	1720				
	Merbau	1712				
	Kempas	1710				
	Locust	1700				
	Highland Beech	1686				
	Wenge, Red Pine	1630				
	Tualang	1624				
	Zebrawood	1575				
	True Pine, Timborana	1570				
	Peroba	1557				
	Kambala	1540				
	Sapele / Sapelli	1510				
	Curupixa	1490				
	Sweet Birch	1470				
	Common Hardwoods					
	Hard Maple / Sugar Maple	1450				
	Coffee Bean	1390				
	Natural Bamboo (represents one species)	1380				
	Australian Cypress	1375				
	White Oak	1360				
	Tasmanian Oak	1350				
	Ribbon Gum	1349				
	Ash (White)	1320				
	American Beech	1300				
	Red Oak (Northern)	1290				
	Softer Hardwoods					
	Carribean Heart Pine	1280				
	Yellow Birch	1260				
	Movingui	1230				
	Heart Pine	1225				
	Carbonized Bamboo (represents one species)	1180				
	Cocobolo	1136				
	Brazilian Eucalyptus / Rose Gum	1125				
	Makore	1100				
	Boreal	1023				
	Black Walnut	1010				
	Teak	1000				
	Sakura	995				
	Black Cherry, Imbuia	950				
	Boire	940				
	Paper Birch	910				
	Cedar	900				
	Southern Yellow Pine (Longleaf)	870				
	Lacewood, Leopardwood	840				
	Parana	780				
	Sycamore	770				
	Shedua	710				
	Southern Yellow Pine (Loblolly and Shortleaf)	690				
	Douglas Fir	660				
	Larch	590				
	Chestnut	540				
	Hemlock	500				
	White Pine	420				
	Basswood	410				
	Eastern White Pine	380				

NORTON

SAINT-GOBAIN®

PRODUCTS FOR THE PROFESSIONAL HARDWOOD FLOORING MARKET



NORTON BLAZE
BLAZE YOUR WAY TO PRODUCTIVITY!

Tackle gym floor re-sands and UV-cured pre-finished floors with ease.



NORTON NEON
AFFORDABLE VERSATILITY!

Designed with durability and quality in mind at an economical price.



NORTON SANDDOLLAR
STRIP AWAY OLD IDEAS!

Smooth and prep the surface of the floor to properly accept the next coat of finish without risk of swirl marks.



NORTON RED HEAT
HOOK & LOOP DISCS!

For the finest scratch pattern in the industry.



FINISH YOUR FLOORS
WITH CONFIDENCE!

Applicators designed to quickly and easily apply floor finish or sealer with superior results.



NORTON HARDWOOD FLOOR
FAST SET EPOXY KITS!

Designed with a quick set time, the Norton Fast Set Epoxy is perfect for all board repairs.

THE **MUSCLE** BEHIND THE MACHINE®

www.facebook.com/NortonAbrasivesNA | www.youtube.com/NortonAbrasives | www.nortonabrasives.com

USA CUSTOMER SERVICE:

Toll Free Phone: 1 (800) 551-4415
Phone: 1 (254) 918-2306
Fax: 1 (254) 918-2309

CANADA CUSTOMER SERVICE:

Toll Free Phone: 1 (800) 263-6565
Toll Free Fax: 1 (800) 561-9490

FORM #350 REV. 11/19

© Saint-Gobain November 2019.

Norton and "Reshaping Your World" are trademarks of Saint Gobain Abrasives. All other trademarks are the property of their respective owners.



PRIMARY
SPONSOR

